

2008
catalogue



Foster 
Live the Quality

EXPERIENCE **QUALITY**

Research, style and an attractive lines combine in a single distinctive mark, the Foster logo.

The desire to create ever new solutions to improve the quality of life in the kitchen is the driving force that stimulates our research and the reason for our satisfaction. We have achieved important goals in the development of household appliances and it is with the same enthusiasm that we face up to the ideas of the most successful Italian and European kitchen manufacturers each day. A precious training ground that stimulates our imagination and allows us to search for new solutions as to design, functions and technologies.

This is the Foster philosophy: excellent quality standards, masterly workmanship, ground-breaking solutions interpreted with the taste and style for which we are renowned.

Foster 
Live the Quality









INDEX

WASHING SOLUTIONS

SINKS	4
FLUSH-MOUNT AND FLAT-EDGE SINKS	31
UNDERMOUNT SINKS	49
FAUCETS AND COMPLEMENTS	58
DISHWASHER	80

COOKING SOLUTIONS

GAS COOKER HOBS	82
FLUSH-MOUNT AND FLAT-EDGE GAS COOKER HOBS	101
ELECTRIC COOKER HOBS	114
DESIGNER HOODS	126
BUILT-IN OVENS	136

THE SPECIALS	160
--------------	-----

ALESSI BY FOSTER	170
------------------	-----





Features 6

Standard built-in sinks

3000 Series	8
KS Series	10
Sliding Rails	12
Uragano	13
Tornado	14
Corner sinks	16
Alien Series	18
Big Bowl Series	20
Magic	23
F2000 Series	24
Rondò	26
Round sinks	27
Darwin	28
1000 Series	29

Flush-mount and flat-edge sinks 31

Undermount sinks 49



SINKS' FEATURES

Designer looks, functionality, selected raw materials and an eye to detail. In short, the added value of Foster sinks. A unique and comprehensive range of solutions that are extremely practical while being created to give that personal touch to every kitchen.

steel without compromise

Foster has always been a specialist when it comes to working steel and takes great care to use materials able to provide the best performance. Our entire range is made with AISI 304 - 18/10 austenitic steels. Thanks to the high percentages of chrome and nickel they contain, they give a particularly bright finish, are extremely sturdy and absolutely resistant to rust and corrosion.

<p>Foster satin </p> 	<p>The Foster satin finish. The steel is treated with special vegetable fibres that give it the characteristic extrafine satin finish that is highly elegant and functional. This makes the surfaces very smooth and easy to clean.</p>
<p>microfoster anti-scratch </p> 	<p>The Microfoster finish. A scratchproof finish with an exclusive, extrafine and almost imperceptible textured appearance that gives the steel a special shine and sets off the style to its best effect.</p>
<p>design anti-scratch </p> 	<p>Design finish. Scratchproof finish with an original and elegant texture that protects the material from accidental scuffing and from wear through use.</p>

designer finishes

The exclusive finishes on Foster steels are the result of painstaking research, the aim being to achieve the perfect combination between good looks and functionality. A distinctive feature, a true trademark that makes our products stand out for the ease with which they can be cleaned.


 oats  white  extra white

E

Ekotek: not just steel

There's also room for an innovative synthetic material amongst Foster's proposals. Ekotek is a composite product containing resins and mineral charges with exceptional mechanical and thermal characteristics. Since it is so easy to work with, it's perfect for making both worktops and shaped appliances like sinks. The catalogue illustrates some of the solutions as alternatives to the corresponding steel models.





combinations

Every Foster product is part of an integrated solution for the kitchen environment. Sinks and cooker hobs made with the same materials, with the same design and the same finishes.



sturdy sinks

If you want to find out how robust our sinks are, you just have to weigh them. Foster uses steel that's thicker than the type generally used by other manufacturers for all types of sink (welded or single-pressed) and price class.



spacious bowls

Thanks to the pioneering manufacturing technology used, all the bowls in Foster sinks provide a generous depth (even the single-pressed versions, i.e. formed from a single sheet of steel). The bowls in many of the versions are more than 20 cm deep, thus sizeable and practical for all washing operations.



waste fittings

Foster sinks are equipped with a generously sized 3.5" waste fitting and practical strainer plug that prevents solids from flowing away with the waste water. The 3.5" drain empties the bowl very quickly and allows the Foster waste-shredder, which is compatible with all models, to be used. (Compatibility with the waste-shredders of other manufacturers is not guaranteed).



automatic waste fitting

The automatic drain with remote control is part of the standard equipment supplied with some of the models. A very convenient accessory that saves you from wetting your hands when the bowl needs emptying. On request, many other models can be customized with the double hole required for installation of the remote control or, as an alternative, the practical soap or detergent dispenser.

built-in and beyond

The methods with which worktops can be built-in have become increasingly more varied and customized. Foster was the first sink manufacturer to have researched and used the new recessing methods and has thus acquired a great deal of experience. It now offers the most comprehensive range available on the market, with flush-mount, flat-edge and undermount installation.



Standard

Traditional built-in with the vertical, 8-mm edge.




Flat-edge

An original edge, with an inclined, 3-mm-high profile, matching an extreme elegance with the easiness of installation.



Flush-mount

The flush-mount sink has no vertical edge, and must be sunk into a one-millimetre deep recess in the worktop's surface.



Undermount

A classy and contemporary idea, to be installed under the worktop; available in various types of sinks, with soft or square design.





A
8647 000
Cutting board 34x40



G
8646 000
Cutting board 40x40



M
8643 000
Sliding cutting board
30x54



P
8101 000
Steel colander
8151 100
White colander



R
8611 000
Steel basket 34x40
8611 100
White basket 34x40



S
8612 000
Steel basket 40x40
8612 100
White basket 40x40



β1
8100 301
Dishes holder
25x43



β2
8100 302
Dishes holder
40x43







suggested
faucets



Tre and Tre Alto
(8457 000 - 8468 000 - page 62)



Flexo
(8456 000 - page 65)

STANDARD BUILT-IN	features	finishing	code	
	   cabinet dimensions 90 cm 1160x500 mm 1140x480 mm 3½" accessories A G M R S 81 82	Foster satin	1312 061 r/h 1312 062 l/h	
	   cabinet dimensions 60 cm 970x500 mm 950x480 mm 3½" accessories A M P R 81	Foster satin	1363 061 r/h 1363 062 l/h	
	   cabinet dimensions 100 cm 970x500 mm 950x480 mm 3½" accessories A P R 81	Foster satin	1370 060	
	   cabinet dimensions 90 cm 860x500 mm 840x480 mm 3½" accessories A G M R S 81 82	Foster satin	1382 062 l/h	
	   cabinet dimensions 60 cm 860x500 mm 840x480 mm 3½" accessories G M S 81 82	Foster satin	1381 061 r/h 1381 062 l/h	
	   cabinet dimensions 80 cm 790x500 mm 770x480 mm 3½" accessories A M R 81	Foster satin	1372 060	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



8647 000
Cutting board 34x40



8643 000
Sliding cutting board
30x54



8611 000
Steel basket 34x40
8611 100
White basket 34x40



8100 301
Dishes holder
25x43

suggested
faucets




Geo
(8454 000 - page 63)




Tre Alto
(8468 000 - page 62)


STANDARD BUILT-IN	features	finishing	code
	<p> bowls' depth >=200mm</p> <p>cabinet dimensions 80 cm 1160x500 mm 1140x480 mm 3½"</p> <p>waste fitting</p> <p>accessories A M R B1</p>	<p>Foster satin </p>	<p>2112 061 r/h 2112 062 l/h</p> <p> packing: 120x52x25 cm - 8.2 Kg</p>



STANDARD BUILT-IN	features	finishing	code
	<p> bowls' depth >=200mm</p> <p>cabinet dimensions 80 cm 860x500 mm 840x480 mm 3½"</p> <p>waste fitting</p> <p>accessories A M R B1</p>	<p>Foster satin </p>	<p>2182 060</p> <p> packing: 94x56x25 cm - 7.4 Kg</p>



STANDARD BUILT-IN	features	finishing	code
	<p> bowls' depth >=200mm</p> <p>cabinet dimensions 45 cm 860x500 mm 840x480 mm 3½"</p> <p>waste fitting</p> <p>accessories A M R B1</p>	<p>Foster satin </p>	<p>2181 061 r/h 2181 062 l/h</p> <p> packing: 94 x 56 x 25 cm - 6.6 Kg</p>



Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



STANDARD BUILT-IN		features	finishing	code
		bowls' depth >=200mm steel thickness 1mm	Foster satin	1486 061 r/h 1486 062 l/h
		cabinet dimensions 90 cm 860x540 mm cut-out 840x520 mm waste fitting 3 1/2"		
		accessories	U2 M2 Z	packing: 100 x 61 x 26 cm - 9.6 Kg



Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
 Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



suggested
faucets



STANDARD BUILT-IN		features	finishing	code	
		bowls' depth >=200mm steel thickness 1mm	Foster satin microfoster anti-scratch	1555 600 1555 460	
		cabinet dimensions cut-out waste fitting 100 cm 970x500 mm 950x480 mm 3 1/2"			
accessories		I O Q U V L2 T Z	packing: 100 x 53 x 23 cm - 8,8 Kg		

Uragano, thanks to the comprehensive, modular set of accessories, becomes a functional centre for preparing food and every washing requirement.



I 8659 112 Cutting board 37x46	L2 8644 003 Twin cutting board 37x46	O 8152 100 White plastic bowl 36x30 <i>To use only with V bowl holder</i>	Q 8151 100 White colander 25x35	T 8100 154 Dishes holder 25x35 <i>To use only with L2 cutting board</i>	U 8100 111 Dishes holder 23x45	V 8100 112 Plastic bowl holder 37x45	Z 8154 000 St. steel colander 25x36 <i>To use only with L2 cutting board</i>
--	--	--	---	--	--	--	---

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



8659 111
Cutting board 37x30



8659 112
Cutting board 37x46



8644 003
Twin cutting board
37x46



8152 100
White plastic bowl
36x30



8151 100
White colander



8100 154
Dishes holder
25x35

To use only with
L2 cutting board




8100 111
Dishes holder 23x45



8154 000
St. steel colander 25x36

To use only with
L2 cutting board



8100 121
Dishes holder

suggested
faucets



GS
(8447 000 - page 70)



Lorenzo
(8466 000 - page 64)

STANDARD BUILT-IN**features**

bowls' depth >=200mm
 steel thickness 1mm

cabinet dimensions
80 cm
790x500 mm
 cut-out
 770x480 mm
 waste fitting
 3½" with remote control

accessories

finishing


Foster
satin
thickness 1mm

microfoster
anti-scratch

code

1579 660

1579 460

 packing:
 82 x 52 x 23 cm - 7.4 Kg
 **STANDARD BUILT-IN****features**

bowls' depth >=200mm
 steel thickness 1mm


cabinet dimensions
80 cm
790x500 mm
 cut-out
 770x480/r135 mm
 waste fitting
 3½" with remote control

accessories

finishingFoster
satin

code

1679 660

 packing:
 82 x 52 x 23 cm - 7 Kg
 **STANDARD BUILT-IN****features**

bowls' depth >=200mm
 steel thickness 1mm

cabinet dimensions
100 cm
970x500 mm
 cut-out
 950x480 mm
 waste fitting
 3½" with remote control


Complete with two-ways waste bin
 for DIFFERENTIATED REFUSE COLLECTION (8123 000)

accessories

finishingFoster
satin

code

1580 310

 packing:
 100 x 53 x 23 cm - 10 Kg
 46 x 44 x 29 cm - 4,6 Kg
 

Tornado 2 ways

STANDARD BUILT-IN**features**

Ekotek
synthetic sink
 bowls' depth >=200mm

cabinet dimensions
90 cm
860x500 mm
 cut-out
 840x480 mm
 waste fitting
 3½"

accessories

finishing


oats

code

1750 140

white


1750 190

 packing:
 94 x 60 x 30 cm - 25,5 Kg
 

The sinks in the **Tornado** series have a wide range of accessories designed to make each operation easier and to get the most out of the available space.



Practical and environment-friendly, **Tornado 2 ways** has a garbage disposal unit for selective waste collection that allows you to dispose of waste straight from the sink without dirtying anything and without having to bend down.





suggested
faucets



GS
(8447 000 - page 70)

MS
(8445 000 - page 70)



>> Corner sinks

STANDARD BUILT-IN

STANDARD BUILT-IN



features

bowls' depth >=200mm
steel thickness 1mm


corner **90x90**
830x830 mm
see drawing
3½"

accessories **A | R | W | M | B1**

finishing

Foster satin

code

3301 060packing:
89 x 89 x 24 cm - 10 Kg

STANDARD BUILT-IN



features

bowls' depth >=200mm


linear **90** cm
830x830 mm
see drawing
3½" + 1" on drainer

accessories **E | P | Q | S | M**

finishing

Foster satin

code

3305 060packing:
89 x 89 x 24 cm - 9.5 Kg

STANDARD BUILT-IN



features

bowls' depth >=200mm
steel thickness 1mm


linear **90** cm
830x830 mm
see drawing
3½" + 1" on drainer

accessories **A | R | T | M | Z | B1**

finishing

Foster satin

code

3308 060packing:
89 x 89 x 24 cm - 9.5 Kg

STANDARD BUILT-IN



features

Ekotek synthetic sink

corner **90x90**
830x830 mm
see drawing
3½"

cabinet dimensions
cut-out
waste fittingaccessories **E**


finishing

oats


code

1731 140packing:
90 x 90 x 28 cm - 26.0 Kg

white

1731 190

With different bowl combinations and layouts, Foster's **Corner sinks** can be recessed into both corner and linear cabinets, allowing you the utmost freedom when you plan your kitchen composition.

Corner sinks
cut-out sizes.

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



8654 000
Cutting board 36x40



8643 000
Sliding cutting board
30x54



8101 000
Steel colander



8151 100
White colander



8611 000
Steel basket 34x40
8611 100
White basket 34x40

suggested
faucets



LO
(8444 000 - page 73)

1000 series faucets
(page 74-75)


>> Alien series
STANDARD BUILT-IN

STANDARD BUILT-IN	features	finishing	code
	cabinet dimensions 90 cm 1160x500 mm 1140x480 mm 3½" accessories B M R	Foster satin design anti-scratch microfoster anti-scratch 	1912 061 r/h 1912 062 l/h 1912 761 r/h 1912 762 l/h 1912 461 r/h 1912 462 l/h packing: 118 x 51 x 19 cm - 7 Kg

STANDARD BUILT-IN	features	finishing	code
	cabinet dimensions 60 (80)*cm 970x500 mm 950x480 mm 3½" accessories M P Q R	Foster satin design anti-scratch microfoster anti-scratch 	1963 061 r/h 1963 062 l/h 1963 761 r/h 1963 762 l/h 1963 461 r/h 1963 462 l/h packing: 118 x 52 x 19 cm - 6,9 Kg

STANDARD BUILT-IN	features	finishing	code
	cabinet dimensions 90 cm 860x500 mm 840x480 mm 3½" accessories B M R	Foster satin design anti-scratch microfoster anti-scratch 	1962 060 1962 760 1962 460 packing: 90 x 52 x 19 cm - 6 Kg

STANDARD BUILT-IN	features	finishing	code
	cabinet dimensions 45 cm 860x500 mm 840x480 mm 3½" accessories B M R	Foster satin design anti-scratch microfoster anti-scratch 	1961 061 r/h 1961 062 l/h 1961 761 r/h 1961 762 l/h 1961 461 r/h 1961 462 l/h packing: 90 x 52 x 19 cm - 5,1 Kg

<p>All the models in the Alien series are available with three different finishes: Foster satin, Design anti-scratch and Microfoster. Perfect matches can be achieved with the Pandora cooker hobs, which are available with the same finishes.</p>		
--	---	--

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box. Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Big Bowl series

STANDARD BUILT-IN



C
8653 000
Cutting board 29x40



E
8655 000
Cutting board 45x40



M
8643 000
Sliding cutting board
30x54



P
8101 000
Steel colander



Q
8151 100
White colander



S
8612 000
Steel basket 40x40
8612 100
White basket 40x40



β
8100 280
Dishes holder
28x40

suggested
faucets



MS
(8445 000 - page 70)



MC
(8446 000 - page 73)








STANDARD BUILT-IN	features	finishing	code	
	cabinet dimensions 90 cm 1160x500 mm 1140x480 mm 3½" accessories C E M S β	Foster satin	1512 001 r/h 1512 002 l/h	
	cabinet dimensions 60 cm 1160x500 mm 1140x480 mm 3½" - Overflow on the drainer accessories E M S	Foster satin	1513 001 r/h 1513 002 l/h	
	cabinet dimensions 90 cm 860x500 mm 840x480 mm 3½" accessories C E M S β	Foster satin	1562 001 r/h 1562 002 l/h	
	cabinet dimensions 60 cm 860x500 mm 840x480 mm 3½" accessories E M S	Foster satin microfoster anti-scratch	1561 001 r/h 1561 002 l/h 1561 401 r/h 1561 402 l/h	
	cabinet dimensions 60 cm 860x500 mm 840x480 mm 3½" accessories C P Q β	Foster satin	1361 061 r/h 1361 062 l/h	
	cabinet dimensions 60 cm 590x500 mm 570x480 mm 3½" accessories E S	Foster satin	1511 001 r/h 1511 002 l/h	

image shows r/h version

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Big Bowl Soft series

STANDARD BUILT-IN

STANDARD BUILT-IN	features	finishing	code	
	cabinet dimensions 90 cm cut-out 860x500 mm waste fitting 3½" accessories C E M S B	Foster satin	1662 001 r/h 1662 002 l/h	 
	cabinet dimensions 60 cm 860x500 mm cut-out 840x480/r135 mm waste fitting 3½" accessories E M S	Foster satin	1661 001 r/h 1661 002 l/h	 
	cabinet dimensions 60 cm 550x500 mm cut-out 530x480/r135 mm waste fitting 3½" accessories C P Q B	Foster satin	1311 060	 
	cabinet dimensions 60 cm 550x500 mm cut-out 530x480/r135 mm waste fitting 3½" accessories E S	Foster satin	1611 060	 

Thanks to their ample curves, the Soft, Big Bowl and Tornado sinks feature smoothly rounded and sinuous lines. They perfectly match the Eleonora Soft cooker hob, which sports the same design.



C  8653 000 Cutting board 29x40	E  8655 000 Cutting board 45x40	M  8643 000 Sliding cutting board 30x54	P  8101 000 Steel colander	Q  8151 100 White colander	S  8612 000 Steel basket 40x40	B  8100 280 Dishes holder 28x40
---	---	---	--	--	---	---

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



STANDARD BUILT-IN



features

bowls' depth >=200mm
cabinet dimensions 860x500 mm
cut-out 840x480 mm
waste fitting 3 1/2"

accessories



Complete with two-ways waste bin

for DIFFERENTIATED REFUSE COLLECTION (8123 000)

M N P R B1

finishing



Foster
satin

code


**1528 311 r/h
1528 312 l/h**



packing:
94 x 57 x 26 cm - 7.1 Kg
46 x 44 x 29 cm - 4.6 Kg



Practical and environment-friendly, the **Magic** sink has a garbage disposal unit for selective waste collection that allows you to dispose of waste straight from the sink without dirtying anything and without having to bend down.



M



8643 000
Sliding cutting board
30x54

N



8657 528
HPE Cutting board

P



8101 000
Steel colander

R



8611 000
Steel basket 34x40
8611 100
White basket 34x40

B1




8100 301
Dishes holder
25x43


Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.





suggested
faucets



STANDARD BUILT-IN	features	finishing	code	
	<p>cabinet dimensions 80 cm 1160x500 mm cut-out 1140x480 mm waste fitting 3½"</p> <p>accessories M R B3</p>	Foster satin	2012 061 r/h 2012 062 l/h	

STANDARD BUILT-IN	features	finishing	code	
	<p>cabinet dimensions 80 cm 860x500 mm cut-out 840x480 mm waste fitting 3½"</p> <p>accessories M R B3</p>	Foster satin	2062 060	

STANDARD BUILT-IN	features	finishing	code	
	<p>cabinet dimensions 45 cm 860x500 mm cut-out 840x480 mm waste fitting 3½"</p> <p>accessories M R B2</p>	Foster satin	2061 061 r/h 2061 062 l/h	

STANDARD BUILT-IN	features	finishing	code	
	<p>cabinet dimensions 80 cm 790x500 mm cut-out 770x480 mm waste fitting 3½"</p> <p>accessories M R B3</p>	Foster satin	2072 060	

<p>The new sinks in the F2000 series feature a fresh and elegant design thanks to the original motifs created around the edge and draining board. They are proposed in conjunction with the Veronika hobs, with their clean-cut, sober lines.</p>			
--	---	--	---

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
 Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



suggested
faucets



LO
(8444 000 - page 73)



Flexo
(8456 000 - page 65)

STANDARD BUILT-IN		features	finishing	code	
		cabinet dimensions cut-out waste fitting	60 cm Ø 520 mm Ø 500 mm 3½"	Foster satin design anti-scratch microfoster anti-scratch	1052 060 1052 760 1052 460
		accessories	K X Y δ		packing: 53 x 53 x 25 cm - 4.0 Kg
STANDARD BUILT-IN		features	finishing	code	
		E	Ekatek synthetic sink	oats white	1752 140 1752 190
		cabinet dimensions cut-out waste fitting	60 cm Ø 520 mm Ø 500 mm 3½"		packing: 60 x 59 x 28 cm - 13.8 Kg
		accessories	K X Y δ		
K 8648 000 Iroko cutting board	X 8610 000 Steel basket	Y 8153 000 St. steel colander inox	δ 8153 001 St. steel colander inox	<p>The Rondò series received a Mention of Honour at the prestigious ADI "Compasso d'Oro" international design competition.</p>	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

>> Round sinks

STANDARD BUILT-IN

sinks

standard
built-in



suggested
faucets



LO
(8444 000 - page 73)



Flexo
(8456 000 - page 65)

STANDARD BUILT-IN



STANDARD BUILT-IN

features

cabinet dimensions
cut-out
waste fitting

45 cm
Ø 440 mm
Ø 420 mm
2"

accessories


J α

finishing

Foster
satin

code

1010 000



packing:
47 x 47 x 22 cm - 2,6 Kg

STANDARD BUILT-IN



STANDARD BUILT-IN

features

cabinet dimensions
cut-out
waste fitting

45 cm
Ø 440 mm
Ø 420 mm
3½"

accessories


J α

finishing

Foster
satin

code

1010 060



packing:
47 x 47 x 22 cm - 2,6 Kg

J



8651 000
Round cutting board
Ø 40

α



8601 000
Round white basket

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.



suggested
faucets



LO
(8444 000 - page 73)



S1000 Z85
(8442 500 - page 74)

STANDARD BUILT-IN		features	finishing	code
		cabinet 80 cm dimensions 790x500 mm cut-out 770x480 mm waste fitting 3½" accessories B C M R β	Foster satin	1280 061 r/h 1280 062 l/h
				packing: 89 x 51 x 19 cm - 6 Kg



8654 000
Cutting board 36x40



8653 000
Cutting board 29x40



8643 000
Sliding cutting board
30x54



8611 000
Steel basket 34x40
8611 100
White basket 34x40



8100 280
Dishes holder
28x40

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.











suggested
faucets

1000 Series faucets
(page 74-75)

STANDARD BUILT-IN		features	finishing	waste fitting	code	
		cabinet dimensions cut-out 90 cm 1160x500 mm 1140x480 mm	Foster satin	2"	1812 101 r/h 1812 102 l/h	
accessories M R			Foster satin	3½"	1812 161 r/h 1812 162 l/h	
		packing: 119 x 52 x 19 cm - 7 Kg				
STANDARD BUILT-IN		features	finishing	waste fitting	code	
		cabinet dimensions cut-out 90 cm 860x500 mm 840x480 mm	Foster satin	2"	1886 100	
accessories M R			Foster satin	3½"	1886 160	
		packing: 88 x 51 x 18 cm - 6 Kg				
STANDARD BUILT-IN		features	finishing	waste fitting	code	
		cabinet dimensions cut-out 45 cm 860x500 mm 840x480 mm	Foster satin	2"	1186 101 r/h 1186 102 l/h	
accessories M R			Foster satin	3½"	1186 161 r/h 1186 162 l/h	
		packing: 88 x 51 x 18 cm - 4.8 Kg				

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

STANDARD BUILT-IN		features	finishing	waste fitting	code	
	cabinet dimensions cut-out 80 cm 790x500 mm 770x480 mm	Foster satin	2"	1279 000		
			3½"	1279 060		
	cabinet dimensions cut-out 45 cm 790x500 mm 770x480 mm	Foster satin	2"	1179 001 r/h 1179 002 l/h		
			3½"	1179 061 r/h 1179 062 l/h		
	cabinet dimensions cut-out 45 cm 440x500 mm 420x480 mm	Foster satin	2"	1144 000		
						
	cabinet dimensions cut-out 30 cm 290x500 mm 270x480 mm	Foster satin	2"	1129 000		
						
 8643 000 Sliding cutting board 30x54						
 8611 000 Steel basket 34x40	 8611 100 White basket 34x40					

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



flush-mount and flat-edge

SINKS

flush
mount
&
flat
edge


<i>Quadra Series</i>	32
<i>3000 Series</i>	36
<i>Sliding Rails</i>	40
<i>Trapezio</i>	41
<i>Big Bowl Series</i>	42
<i>Tornado</i>	44
<i>Uragano</i>	46
<i>Rondò</i>	47
<i>Round sinks</i>	48



new features
of Quadra sinks



The corners at the bottom of the bowls are now rounded to make them easier to clean while the vertical ones, strictly "curve-less", are true to the original, plain and sober concept.









suggested
faucets



Geo
(8454 000 - page 63)



Tre Alto
(8468 000 - page 62)

FLAT-EDGE	features	finishing	code	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions cut-out waste fitting accessories page 35</p> <p>90* cm 1079x479 mm 1059x459 mm 3½" with remote control</p> <p>S L3 T T1 T2 Z</p>	<p>Foster satin</p> 	1211 090	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions cut-out waste fitting accessories page 35</p> <p>90* cm 1000x510 mm 980x495 mm 3½" with remote control</p> <p>S L3 T T1 T2 Z</p>	<p>Foster satin</p> 	1213 091 r/h 1213 092 l/h	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions cut-out waste fitting accessories page 35</p> <p>80 cm 804x510 mm 784x495 mm 3½"</p> <p>R T1</p>	<p>Foster satin</p> 	1209 090	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions cut-out waste fitting accessories page 35</p> <p>80 cm 840x510 mm 820x495 mm 3½" with remote control</p> <p>S L3 T T1 T2 Z</p>	<p>Foster satin</p> 	1219 090	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions cut-out waste fitting accessories page 35</p> <p>60 cm 579x510 mm 559x495 mm 3½" with remote control</p> <p>S L3 T T1 T2 Z</p>	<p>Foster satin</p> 	1216 090	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions cut-out waste fitting accessories page 35</p> <p>40 cm 270x400 mm 328x495 mm 3½" with remote control</p> <p>T1</p>	<p>Foster satin</p> 	1203 090	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

FLUSH-MOUNT



* Minimum cabinet required could change depending on the thickness of the worktop

features



cabinet dimensions
cut-out
waste fitting
accessories
page 35

90* cm
1064x464 mm
template in the carton
3½"

S L3 T T1 T2 Z

finishing




Foster
satin

code

1210 090

packing:
114 x 54 x 29 cm - 13,2 Kg



FLUSH-MOUNT



* Minimum cabinet required could change depending on the thickness of the worktop

features



cabinet dimensions
cut-out
waste fitting
accessories
page 35

90 cm
985x503 mm
template in the carton
3½" with remote control

S L3 T T1 T2 Z

finishing




Foster
satin

code

1223 091 r/h

1223 092 l/h

packing:
106 x 57 x 29 cm - 13 Kg



FLUSH-MOUNT



features



cabinet dimensions
cut-out
waste fitting
accessories
page 35

80 cm
789x503 mm
template in the carton
3½"

R T1

finishing




Foster
satin

code

1208 090

packing:
95 x 54 x 29 cm - 10,9 Kg



FLUSH-MOUNT



features



cabinet dimensions
cut-out
waste fitting
accessories
page 35

80 cm
825x503 mm
template in the carton
3½" with remote control

S L3 T T1 T2 Z

finishing




Foster
satin

code

1229 090

packing:
106 x 57 x 29 cm - 10,5 Kg



FLUSH-MOUNT



features



cabinet dimensions
cut-out
waste fitting
accessories
page 35

90 cm
864x464 mm
template in the carton
3½"

S L3 T T1 T2 Z

finishing




Foster
satin

code

1218 090


packing:
93 x 54 x 29 cm - 11 Kg



FLUSH-MOUNT



features



cabinet dimensions
cut-out
waste fitting
accessories
page 35

60 cm
564x464 mm
template in the carton
3½"

S L3 T T1 T2 Z

finishing




Foster
satin

code





1215 090

packing:
61 x 54 x 29 cm - 6,6 Kg




Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

FLUSH-MOUNT	features	finishing	code	
	  cabinet dimensions cut-out waste fitting accessories	bowls' depth >=200mm steel thickness 1mm 60 cm 464x464 mm template in the carton 3½" R L3 T T1 T2 Z	Foster satin	1214 090  packing: 56 x 54 x 29 cm - 6 Kg
	  cabinet dimensions cut-out waste fitting accessories	bowls' depth >=200mm steel thickness 1mm 40 cm 334x464 mm template in the carton 3½" T1	Foster satin	1202 090  packing: 40 x 54 x 29 cm - 4,4 Kg
	 cabinet dimensions cut-out waste fitting	steel thickness 1mm 30 cm 244x464 mm template in the carton 3½"	Foster satin	1204 090  packing: 40 x 54 x 29 cm - 2,9 Kg
	 dimensions cut-out waste fitting	steel thickness 1mm drainer 614x464 mm template in the carton 1¼"	Foster satin	1201 090  packing: 81 x 54 x 13 cm - 3 Kg




8644 004
Twin cutting board
41x41




8611 000
Steel basket 34x40
8611 100
White basket 34x40




8612 000
Steel basket 40x40
8612 100
White basket 40x40



8100 154
Dishes holder
25x35
To use only with L3 cutting board



8100 201
Dishes holder
25x44



8100 202
Dishes holder
40x43



8154 000
St. steel colander 25x36
To use only with L3 cutting board

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



A
8647 000
Cutting board 34x40



G
8646 000
Cutting board 40x40



M
8643 000
Sliding cutting board
30x54




P
8101 000
Steel colander
8151 100
White colander




R
8611 000
Steel basket 34x40
8611 100
White basket 34x40



S
8612 000
Steel basket 40x40
8612 100
White basket 40x40



β1
8100 301
Dishes holder
25x43



β2
8100 302
Dishes holder
40x43

suggested
faucets



Tre
(8457 000 - page 62)



Flexo
(8456 000 - page 65)

FLAT-EDGE	features	finishing	code	
	<ul style="list-style-type: none"> bowls' depth >=200mm steel thickness 1mm <p>cabinet dimensions 90 cm cut-out 1173x513 mm waste fitting 3½" accessories A G M R S B1 B2</p>	Foster satin	1318 061 r/h 1318 062 l/h	






FLAT-EDGE	features	finishing	code	
	<ul style="list-style-type: none"> bowls' depth >=200mm steel thickness 1mm <p>cabinet dimensions 60 cm cut-out 983x513 mm waste fitting 3½" accessories A M P R B1</p>	Foster satin	1369 061 r/h 1369 062 l/h	

FLAT-EDGE	features	finishing	code	
	<ul style="list-style-type: none"> bowls' depth >=200mm steel thickness 1mm <p>cabinet dimensions 100 cm cut-out 983x513 mm waste fitting 3½" accessories A M P R B1</p>	Foster satin	1376 060	


FLAT-EDGE	features	finishing	code	
	<ul style="list-style-type: none"> bowls' depth >=200mm steel thickness 1mm <p>cabinet dimensions 90 cm cut-out 873x513 mm waste fitting 3½" accessories A G M R S B1 B2</p>	Foster satin	1388 062 l/h	

FLAT-EDGE	features	finishing	code	
	<ul style="list-style-type: none"> bowls' depth >=200mm steel thickness 1mm <p>cabinet dimensions 60 cm cut-out 873x513 mm waste fitting 3½" accessories G M S B1 B2</p>	Foster satin	1387 061 r/h 1387 062 l/h	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.


FLUSH-MOUNT	features	finishing	code	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 90 cm cut-out 1173x513 mm waste fitting template in the carton 3½"</p> <p>accessories A G R S B1 B2</p>	Foster satin	1315 061 r/h 1315 062 l/h	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 60 cm cut-out 983x513 mm waste fitting template in the carton 3½"</p> <p>accessories A P R B1</p>	Foster satin	1366 061 r/h 1366 062 l/h	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 100 cm cut-out 983x513 mm waste fitting template in the carton 3½"</p> <p>accessories A P R B1</p>	Foster satin	1373 060	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 90 cm cut-out 873x513 mm waste fitting template in the carton 3½"</p> <p>accessories A G R S B1 B2</p>	Foster satin	1385 062 l/h	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 60 cm cut-out 873x513 mm waste fitting template in the carton 3½"</p> <p>accessories G S B1 B2</p>	Foster satin	1384 061 r/h 1384 062 l/h	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

FLUSH-MOUNT	features	finishing	code	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 60 cm cut-out 554x454 mm waste fitting 3½" accessories S</p>	Foster satin	1116 061 r/h 1116 062 l/h	  packing: 63 x 53 x 28 cm - 6.6 Kg


flush
mount
&
flat
edge

FLUSH-MOUNT	features	finishing	code	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 45 cm cut-out 454x454 mm waste fitting 3½" accessories G S B1 B2</p>	Foster satin	1114 061 r/h 1114 062 l/h	  packing: 55 x 54 x 28 cm - 5.8 Kg

FLUSH-MOUNT	features	finishing	code	
	<p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet dimensions 40 cm cut-out 394x454 mm waste fitting 3½" accessories A R B1</p>	Foster satin	1117 061 r/h 1117 062 l/h	  packing: 53 x 47 x 28 cm - 5 Kg

Cut-out for flush-mount recessing

The flush-mount products fit into an opening made in the worktop, as shown in the figure. The template and the exact measurements for the aperture are included in each box.



 8647 000 Cutting board 34x40	 8646 000 Cutting board 40x40	 8643 000 Sliding cutting board 30x54	 8101 000 Steel colander 8151 100 White colander	 8611 000 Steel basket 34x40 8611 100 White basket 34x40	 8612 000 Steel basket 40x40 8612 100 White basket 40x40	 8100 301 Dishes holder 25x43	 8100 302 Dishes holder 40x43
--	--	--	---	---	---	--	--

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Sliding Rails

FLUSH-MOUNT AND FLAT-EDGE

suggested
faucets



Lorenzo
(8466 000 - page 64)



Kelvin
(8470 000 - page 60)

FLUSH-MOUNT		features	finishing	code	
		bowls' depth >=200mm steel thickness 1mm	Foster satin	1488 061 r/h 1488 062 l/h	
		cabinet dimensions 90 cm 873x553 mm cut-out waste fitting template in the carton 3 1/2"			
		accessories	M2 U2 Z		 packing: 94 x 57 x 26 cm - 9.6 Kg
FLAT-EDGE		features	finishing	code	
		bowls' depth >=200mm steel thickness 1mm	Foster satin	1489 061 r/h 1489 062 l/h	
		cabinet dimensions 90 cm 873x553 mm cut-out waste fitting 840x520			
		accessories	M2 U2 Z		 packing: 94 x 57 x 26 cm - 9.6 Kg
M2		8643 115 Cutting board 28x48			
U2		8100 115 St. steel dishes holder 23x47			
Z		8154 000 St. steel colander 25x36			
Sliding Rails is an extremely practical, innovative sink that optimizes the available space. Thanks to its elegant and functional design, the accessories slide along independent tracks and can be used to obtain many different configurations.					

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



suggested
faucets



Ellis
(8463 000 - page 67)



Arsenio
(8471 000 - page 66)

FLAT-EDGE	features	finishing	code
	 bowls' depth >=200mm steel thickness 1mm	Foster satin	3311 061 r/h 3311 062 l/h
	60 cm cabinet dimensions 1006x552 mm cut-out template in the carton 3 1/2" waste fitting accessories		 packing: 106 x 62 x 29 cm - 7,5 Kg



8611 000
Steel basket 34x40
8611 100
White basket 34x40



8154 040
Stainless
steel colander



8644 040
Padouk wood
Twin cutting board



8100 040
St. steel dishes holder

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Big Bowl Soft series
FLUSH-MOUNT



C
8653 000
Cutting board 29x40



E
8655 000
Cutting board 45x40




P
8101 000
Steel colander



Q
8151 100
White colander



S
8612 000
Steel basket 40x40
8612 100
White basket 40x40



β
8100 280
Dishes holder
28x40

suggested
faucets



MS
(8445 000 - page 70)




MC
(8446 000 - page 73)

>> Big Bowl Soft series


FLUSH-MOUNT

FLUSH-MOUNT	features	finishing	code
	<p>steel thickness 1mm</p> <p>cabinet dimensions 90 cm 873x513 mm cut-out waste fitting</p> <p>template in the carton 3½"</p> <p>accessories C E S B</p>	<p>Foster satin </p>	1062 061 r/h 1062 062 l/h




flush
mount
&
flat
edge


FLUSH-MOUNT	features	finishing	code
	<p>steel thickness 1mm</p> <p>cabinet dimensions 60 cm 873x513 mm cut-out waste fitting</p> <p>template in the carton 3½"</p> <p>accessories E S</p>	<p>Foster satin </p>	1061 061 r/h 1061 062 l/h



FLUSH-MOUNT	features	finishing	code
	<p>steel thickness 1mm</p> <p>cabinet dimensions 60 cm 563x513 mm cut-out waste fitting</p> <p>template in the carton 3½"</p> <p>accessories C P Q B</p>	<p>Foster satin </p>	1113 060



FLUSH-MOUNT	features	finishing	code
	<p>steel thickness 1mm</p> <p>cabinet dimensions 60 cm 563x513 mm cut-out waste fitting</p> <p>template in the carton 3½"</p> <p>accessories E S</p>	<p>Foster satin </p>	1115 060




The flush-mount sinks in the **Big Bowl** series feature an original and elegant design thanks to the characteristic gently curving profile. The same sinuous lines are to be found in the Eleonora, Vulcano and Magic flush-mount cooker hobs.




Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.




suggested
faucets




FLAT-EDGE	features	finishing	code
	  80 cm 803x513 mm cabinet dimensions cut-out 770x480 mm waste fitting 3½" with remote control accessories H I O Q U L2 T Z 	Foster satin <input checked="" type="checkbox"/>	1078 660

flush
mount
&
flat
edge

FLUSH-MOUNT	features	finishing	code
	  60 cm 803x513 mm cabinet dimensions cut-out template in the carton waste fitting 3½" with remote control accessories H I O Q U L2 T Z 	Foster satin <input checked="" type="checkbox"/>	1079 660



FLUSH-MOUNT	features	finishing	code
	  90 cm 854x494 mm cabinet dimensions cut-out template in the carton waste fitting 3½" accessories H I O Q Q 	extra white <input type="checkbox"/>	1751 000



All the **Tornado** sinks, both the built-in and Flush-mount models, have been designed to perfectly match the Eleonora cooker hobs, which are available in the same versions.

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box. Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



suggested
faucets



Peppone
(8465 000 - page 64)

MS
(8445 000 - page 70)

FLUSH-MOUNT	features	finishing	code	
	bowls' depth >=200mm steel thickness 1mm	Foster satin	1055 600	
	cabinet dimensions cut-out waste fitting	100 cm 983x513 mm template in the carton 3 1/2"		
	accessories	I O Q U V L2 T Z	packing: 107 x 57 x 26 cm - 9.2 Kg	
FLAT-EDGE	features	finishing	code	
	bowls' depth >=200mm steel thickness 1mm	Foster satin	1054 600	
	cabinet dimensions cut-out waste fitting	100 cm 983x513 mm 950x480 3 1/2"		
	accessories	I O Q U V L2 T Z	packing: 107 x 57 x 26 cm - 9.2 Kg	
I 8659 112 Cutting board 37x46				
L2 8644 003 Twin cutting board 37x46				
O 8152 100 White plastic bowl 36x30				
Q 8151 100 White colander				
T 8100 154 Dishes holder 25x35				
U 8100 111 Dishes holder 23x45				
V 8100 112 Plastic bowl holder 37x45				
Z 8154 000 St. steel colander 25x36				
				To use only with L2 cutting board

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

suggested
faucetsLO
(8444 000 - page 73)Flexo
(8456 000 - page 65)

FLUSH-MOUNT	features	finishing	code
	cabinet dimensions Ø 553 mm cut-out template in the carton 3½" accessories K δ	Foster satin	1053 060
	cabinet dimensions Ø 553 mm cut-out Ø 500 mm 3½" accessories K δ	Foster satin	1051 060
	K		8648 000
	δ		8153 001
8648 000 Iroko cutting board			
8153 001 St. steel colander			

The Rondò series received a Mention of Honour at the prestigious ADI "Compasso d'Oro" international design competition.



Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box. Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



FLUSH-MOUNT	features	finishing	code
	cabinet dimensions cut-out waste fitting	Foster satin	1110 060
	45 cm Ø 420 mm template in the carton 3½"		
	accessories	packing: 47 x 47 x 22 cm - 3,4 Kg	
 8651 000 Round cutting board Ø 40			
 8601 000 Round white basket			

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

undermount
SINKS

under
mount



<i>Quadra Series</i>	50
<i>Sliding Rails</i>	52
<i>Tornado</i>	53
<i>4000 Series' Bowls</i>	54
<i>3000 Series' Bowls</i>	55
<i>Undermount Sinks</i>	56
<i>Big Bowl Series</i>	56
<i>Undermount Bowls</i>	57
<i>Round Sinks</i>	57



UNDERMOUNT	features	finishing	code	
	 cabinet bowl cut-out waste fitting accessories	bowls' depth >=200mm steel thickness 1mm	Foster satin	1210 890
	 cabinet bowls cut-out waste fitting accessories	bowls' depth >=200mm steel thickness 1mm	Foster satin	1208 890
	 cabinet bowl cut-out waste fitting accessories	bowls' depth >=200mm steel thickness 1mm	Foster satin	1218 890

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

UNDERMOUNT	features	finishing	code	
	bowls' depth >=200mm steel thickness 1mm cabinet 60 cm bowl 50x40 cm cut-out template in the carton waste fitting 3½" accessories S L3 T T1 T2 Z	Foster satin	1215 890	
	bowls' depth >=200mm steel thickness 1mm cabinet 60 cm bowl 40x40 cm cut-out template in the carton waste fitting 3½" accessories R L3 T T1 T2 Z	Foster satin	1214 890	
	bowls' depth >=200mm steel thickness 1mm cabinet 40 cm bowl 27x40 cm cut-out template in the carton waste fitting 3½" accessories T1	Foster satin	1202 890	
	steel thickness 1mm cabinet 30 cm bowl 18x40 cm cut-out template in the carton waste fitting 3½"	Foster satin	1204 890	
	steel thickness 1mm drainer cut-out waste fitting 55x40 cm template in the carton waste fitting 1¼"	Foster satin	1201 890	
	L3		8644 004	
	R		8611 000	
	S		8612 000	
	T		8100 154	
	T1		8100 201	
	T2		8100 202	
	Z		8154 000	
Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box. Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.				

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
 Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



suggested
faucets




Lorenzo
(8466 000 - page 64)



Kelvin
(8470 000 - page 60)

UNDERMOUNT	features	finishing	code
	 bowls' depth >=200mm steel thickness 1mm	Foster satin	1488 861 r/h 1488 862 l/h
	cabinet bowls 50x40/23x34 cm cut-out template in the carton 3 1/2"		
	accessories M2 U2 Z		packing: 100 x 60 x 25 cm - 9.6 Kg



Sliding Rails is an extremely practical, innovative sink that optimizes the available space. Thanks to its elegant and functional design, the accessories slide along independent tracks and can be used to obtain many different configurations.



8643 115
Cutting board 28x48



8154 000
St. steel colander 25x36



8100 115
St. steel dishes holder
23x47

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



suggested
faucets



Lorenzo
(8466 000 - page 64)



Kelvin
(8470 000 - page 60)

UNDERMOUNT	features	finishing	code	
	 <p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet 40 cm bowl 34x40 cm cut-out template in the carton waste fitting 3 1/2"</p> <p>accessories R</p>	 <p>Foster satin</p>	1262 860	


UNDERMOUNT	features	finishing	code	
	 <p>bowls' depth >=200mm steel thickness 1mm</p> <p>cabinet 60 cm bowl 45x40 cm cut-out template in the carton waste fitting 3 1/2"</p> <p>accessories S</p>	 <p>Foster satin</p>	1263 860	

R		S	
8611 000 Steel basket 34x40		8612 000 Steel basket 40x40	
8611 100 White basket 34x40		8612 100 White basket 40x40	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> 4000 series' bowls - radius 25


UNDERMOUNT


UNDERMOUNT	features	finishing	code	
	  cabinet bowl 50 cm 53x40 cm cut-out waste fitting 3½" accessories 	Foster satin 	1265 860	

UNDERMOUNT	features	finishing	code	
	  cabinet bowl 80 cm 71x43 cm cut-out waste fitting 3½" accessories 	Foster satin 	1267 860	

>> 3000 series' bowls

UNDERMOUNT

UNDERMOUNT	features	finishing	code	
	  cabinet bowl 60 cm 50x40 cm cut-out waste fitting 3½" accessories 	Foster satin 	1116 861 r/h 1116 862 l/h	




UNDERMOUNT	features	finishing	code	
	  cabinet bowl 45 cm 40x40 cm cut-out waste fitting 3½" accessories 	Foster satin 	1114 861 r/h 1114 862 l/h	

UNDERMOUNT	features	finishing	code	
	  cabinet bowl 40 cm 34x40 cm cut-out waste fitting 3½" accessories 	Foster satin 	1117 861 r/h 1117 862 l/h	

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.



» **Undermount** sinks

UNDERMOUNT

UNDERMOUNT	features	finishing	code	
	<p> steel thickness 1mm</p> <p>cabinet 80 cm bowls (2x) 34x40 cm cut-out template in the carton waste fitting 3½"</p> <p>accessories R</p>	Foster satin	1302 860	
	<p> steel thickness 1mm</p> <p>cabinet 60 cm bowls 34x40/15x30 cm cut-out template in the carton waste fitting 3½"</p> <p>accessories A P Q R</p>	Foster satin	1309 861 r/h 1309 862 l/h	
	<p> steel thickness 1mm</p> <p>cabinet 60 cm bowls 34x40/15x30 cm cut-out template in the carton waste fitting 3½"</p> <p>accessories A P Q R</p>	Foster satin	1308 861 r/h 1308 862 l/h	

>> **Big Bowl** series

UNDERMOUNT



UNDERMOUNT	features	finishing	code	
	<p>cabinet 60 cm bowl 45x40 cm cut-out template in the carton waste fitting 3½"</p> <p>accessories E S</p>	Foster satin	1611 068	 
	<p>cabinet 60 cm bowls 28x40/15x30 cm cut-out template in the carton waste fitting 3½"</p> <p>accessories C P Q S</p>	Foster satin	1311 068	 

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Undermount bowls



UNDERMOUNT

UNDERMOUNT	features	finishing	code	
	cabinet 60 cm bowl 45x40 cm cut-out template in the carton waste fitting 3½" accessories S	Foster satin	1811 050	
	cabinet 40 cm bowl 34x40 cm cut-out template in the carton waste fitting 3½" accessories R	Foster satin	1307 860	
	cabinet 30 cm bowl 15x30 cm cut-out template in the carton waste fitting 3½"	Foster satin	1300 068	

under
mount

>> Round sinks

UNDERMOUNT

UNDERMOUNT	features	finishing	waste fitting	code				
	cabinet 45 cm bowl Ø 38 cm cut-out template in the carton waste fitting 3½" accessories α	Foster satin	2"	1010 008				
		Foster satin	3½"	1010 068				
				packing: 46 x 46 x 21 cm - 2,6 Kg				
A  8647 000 Cutting board 34x40	C  8653 000 Cutting board 29x40	E  8655 000 Cutting board 45x40	P  8101 000 Steel colander	Q  8151 100 White colander	R  8611 000 Steel basket 34x40	S  8612 000 Steel basket 40x40	α  8601 000 Round white basket	B  8100 280 Dishes holder 28x40

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.





FAUCETS

and washing complements



faucets
complements

Faucets 60

Washing complements

<i>Waste bins</i>	76
<i>Food waste disposers</i>	77
<i>Waste fittings and siphons</i>	78
<i>Cleaning products</i>	79

Kelvin is an innovative mixer in which the water flow is illuminated by a coloured light, depending on the temperature: blue for cold water, red for hot water, purple if mixed. Electric power is not required as it's the water that powers the leds by flowing through two turbines. Unpleasant scalding and unnecessary use of hot water are things of the past thanks to visual temperature control. The system is housed in a small box (16x12x8 cm) that can be easily installed under the sink.



Kelvin


single lever mixer with extractable shower head and colour-changing illuminated water flow

finishing

chromed


code

8470 000




Camillo
single lever mixer,
with extractable shower head

finishing	code
chromed	8467 000
satin finish	8467 100



Tre alto
single lever faucet

finishing | code
chromed | 8468 000



Tre
single lever faucet


finishing | code
chromed | 8457 000



Geo
single lever faucet

finishing | code

chromed | 8454 000




Lorenzo
single lever faucet,
with extractable shower head

finishing	code
chromed	8466 000
satin finish	8466 100



Peppone
single lever faucet,
with extractable shower



finishing	code
chromed	8465 000




Flexo
single lever faucet,
with twistable head

finishing | code
chromed | 8456 000



Arsenio is the ideal mixer for use under windows. The arm can be easily lowered down to just a few centimeters.



Arsenio

retracting single lever mixer with extractable shower head and remote control*

*double hole needed

finishing

chromed

code

8471 000



Ellis

single lever faucet,
with extractable shower head

finishing

chromed

code

8463 000



Mn
single lever faucet

finishing | code

satin finish | 8453 000





Professional
single lever mixer with pull-out shower head*.

*a correct installation requires wall fixing of the shower with the clamp included

finishing | code

chromed | 8450 000






Gs

single lever faucet,
with extractable shower

finishing
chromed

code
8447 000



Ms

single lever faucet,
with extractable shower

finishing
chromed
silver finish


code
8445 000
8445 800



Country
faucet with double hands



finishing | code

chromed 8464 000



Bs
single lever faucet

finishing | code
chromed 8461 000




Gf
single lever faucet

finishing | code
chromed 8452 000




Mc
single lever faucet




finishing | code
chromed 8446 000



Lo
single lever faucet




finishing | code
chromed 8444 000




1000 series- Z66
single lever faucet,
with extractable shower

finishing | code
chromed 8448 500




1000 series - Z65
single lever faucet,
with extractable shower

finishing | code
chromed 8449 500



1000 series - Z85
single lever faucet

finishing | code
chromed 8442 500



1000 series - RO
single lever faucet

finishing | code
chromed 8443 500




Waste bins



Code 8123 800

Two-ways garbage disposal unit with access from the top for **selective waste collection**. Steel lid and cladding.




Two-ways waste bin included in:
- **Tornado 2 ways** (Code 1580 310 - page 15)
- **Magic** (Code 1528 311/2 - page 23)



Code 8113 800


One-way garbage disposal unit with access from the top. Steel lid and cladding.





Code 8119 000

Waste bin with bag extractable from the top




Food waste disposer



Code 8439 012 1/2 Hp (375 W)

Code 8439 034 3/4 Hp (560 W)

The **Foster waste disposer** free your kitchen of all organic food waste of your preparation, flushed through the sewer system.




Foster waste disposers can be installed in all our sinks with 3.5" waste fitting. Remember to check the dimensions of the sink-waste shredder assembly. Sinks' compatibility with the waste disposers of other manufacturers is not guaranteed.



Code 8439 900


Radio control for food waste disposers



Dispenser



Code 8510 000
Built-in liquid soap/detergent dispenser



Automatic waste fitting



Code 8407 000
Waste fitting with remote control without overflow

Code 8407 100
Waste fitting with remote control with overflow



Waste fittings

Waste fittings 3½"

8403 000 Basket waste fitting without overflow for one bowl sinks

8403 300 Basket waste fitting with overflow for one bowl sinks

8407 200 Waste fitting for Uragano sink (overflow with flexible pipe)

Waste fittings 2"

8401 000 2" waste fitting with overflow and rubber plug for one bowl sinks

8405 300 2" waste fitting without overflow and rubber plug for one bowl sinks

8402 000 One 2" waste fitting with overflow and one 2" waste fitting without overflow

Waste fittings 1½"

8404 000 Overflow fitting 1½" for drainer

Siphons

8410 000 One way "Spazio" siphon

8435 000 Two way "Spazio" siphon

8433 000 Three way "Spazio" siphon

8415 000 Two ways siphon with dishwasher socket

Various

8669 000 2" rubber plug

8669 001 Strainer plug for 3½" waste fitting

8669 002 Strainer plug for automatic waste-fitting

8155 000 Steel-clad plug 18/10 for waste-bins Code 8113-8123

8118 001 Connecting pipe - (white) for waste disposal unit Code 8113-8123

8118 006 Connecting pipe - (black) for waste disposal unit Code 8113-8123

8700 007 Silicone gasket for inset sinks

how to clean and care for steel

Stainless steel products do not need any particular servicing. However, they do require a certain care and use of adequate detergents for daily cleaning. By and large, all that's needed is to wash with hot water and soap, and thoroughly rinse and dry with a cloth. Do not use: hydrochloric acid, abrasive powders, steel wool, brushes and products for cleaning silver.


When it comes to detergents for cleaning steel, Foster recommends the products in the "Steel Clean" line:

- **all-purpose aerosol** for daily cleaning use
- **microfiber cloth** to wipe off traces of grease and powder.
- **professional cream** to restore the original splendour of the steel, remove scaling, stubborn dirt and rust marks caused by contact with ferrous materials.



Steel Clean - cream
Detergent cream for stainless steel

250 ml bottle
pack of 12 pcs. 8331 000
8331 012



Steel Clean - microfiber
Microfiber cloths for cleaning stainless steel

pack of 3 pcs. 8333 000
12 pack of 3 pcs. 8333 012



Steel Clean - all-purpose
All-purpose detergent with vaporizer

500 ml bottle
pack of 12 pcs. 8332 000
8332 012



Steel Clean - kit
Steel cleaning kit containing:
- 1 bottle containing 250 ml of cream
- 1 bottle containing 500 ml of all-purpose fluid
- 1 pack of 3 microfiber cloths

cleaning kit 8339 000

DISHWASHER





Fully built-in dishwasher Code 2910 000

energy class
place-setting capacity
noise-level

programming
display

7 washing programs

specifications/features

AAA

32 dB(A) sound pressure level, equal to 47 dB sound power as per EN 704-3

electronic
touch-control digital panel

intensive, normal, delicate, auto, bio,
quick, soaking

Dirt Control System

Acquastop safety system

1-12 hour delayed programming

remaining wash time indication

setting for all-purpose detergents

low salt-rinsing agent indicators

upper basket adjustable in height at full load

adjustable cutlery basket

goblet support

frontal adjustment of rear feet

technical data

voltage rating: 220-230 V - 50 Hz
total power: 2.000-2.150 W
heating power: 1.900 W

Door cladding kit in satin-finish stainless steel code 2910 001



Programs: Foster dishwashers have 7 different washing programs for the utmost in versatility.

Intensive: washing at 70°C for heavily soiled plates and pans.

Normal: washing at 65°C for normally soiled crockery.

Delicate: washing at 45°C for delicate/slightly soiled crockery.

Auto: optimizes both results and consumption to suit the load.

Bio: 50°C economy wash. Optimized consumption.

Quick: ideal for small loads. Washes and dries in just 30 min.


Soaking: rinses the crockery while waiting to be washed.



Dirt Control System: can be used with the Intensive, Normal and Delicate programs. Allows the wash settings to be customized to a further degree, depending on the amount of dirt on the crockery.



Total safety: Foster's dishwashers are equipped with various safety systems that activate if leaks occur under the appliance or if the tub fails to empty. Moreover, the pipe supplied is equipped with the Acquastop valve that shuts off the water supply if faults occur.





COOKER HOBS



cooker hobs

standard built-in

Features

Gas Cooker hobs (standard built-in)

Professionals	86
Professional 54	87
Faust	88
Eleonora	89
Vulcano	90
Corner	91
Pandora	92
Rondò & Giotto	93
Veronika	94
Magic	96
Alien	97
1000 Series	98
Domino Series	100

Gas Cooker hobs (flush-mount and flat-edge)

101

Electric cooker hobs

114



SPECIFICATIONS COOKER HOBS

Design, technology and selected raw materials create a cooker hob line that stands out for high-level functionality and professional performance.

Foster cooker hobs make a strong statement as to furnishing style thanks to their original shapes, the eye for detail and a perfect finish.

built-in solutions



Standard

Traditional built-in with the vertical, 8-mm edge.



Flat-edge

An original edge, with an inclined, 3-mm-high profile, matching an extreme elegance with the easiness of installation.



Flush-mount

The flush-mount cooker hobs has no vertical edge, and must be sunk into a one-millimetre deep recess in the worktop's surface.





burners

Heating power for every requirement. A complete range of burners for all cooking processes. Optimum efficiency with constant improvements as to design and technology.



III^A serie: ultra-new burners. A concentration of design, technology and performance. Their efficiency is vastly superior to the dictates of the European standards, with an even more extensive min/max power ratio for the utmost flexibility of use. The system that locks the cover and burner cap achieves perfect positioning and makes cleaning extremely practical.



Dual: innovative and versatile burner, with triple crown ignited independently by a single knob. Power delivery from 300 to 4500 W.




safe cooking

All Foster cooker hobs are equipped with safety valves. They very quickly shut off the gas supply if the flame accidentally goes out. Ultra-rapid latest generation thermocouples. Make the burners even safer while the ignition time is reduced to the minimum.



under-knob ignition

The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows you to turn on the burner flame with just one hand.



cast iron grids

Foster's entire range of cooker hobs features cast iron grids. The perfect material thanks to its intrinsic properties: high thermal capacity that makes cooking even more efficient; weight and stability for improved safety; sturdiness that maintains the original appearance of the grid over time; easy cleaning (even in the dishwasher).



ultra-flat

Design meets functionality in the the ultra-flat models. Elegant grids that form a generously sized overall surface and only protrude a few millimeters from the worktop, allowing pans to be used and shifted from one burner to the next in full safety.



STANDARD BUILT-IN		features	finishing	code
		<ul style="list-style-type: none"> <input checked="" type="checkbox"/> enamelled cast iron grids and burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition 	Foster satin	7055 052
		<ul style="list-style-type: none"> <input checked="" type="checkbox"/> burners <input checked="" type="checkbox"/> auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W 	design anti-scratch steel	7055 752
accessories:		<ul style="list-style-type: none"> 8172 000 grill 42x22 cm 	<p>500 860 840 480 5 30</p>	
STANDARD BUILT-IN		features	finishing	code
		<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition 	Foster satin	7053 042
accessories:	9601 668 wok support	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> burners <input checked="" type="checkbox"/> auxiliary 1.000W semi-rapid 1.750 W (x2) triple crown 3.500 W 	<p>500 590 560 480 5 30</p>	
8172 000 grill 42x22 cm		9601 668 wok support		



STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7085 042
	<p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W</p>		
	<p>dimensions</p> <p>cut-out</p> <p> 920x540 mm 900x520 mm</p> <p>packing: 101 x 60 x 20 cm - 25.6 Kg</p>		

accessories:



9601 668
wok support



STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition 	Foster satin	7075 072
	<p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x3) triple crown 3.500 W</p> <p>supplied with 2 kits of knobs: chromed and black</p>		
	<p>dimensions cut-out</p> <p>790x500 mm 770x480 mm</p> <p>packing: 90 x 61 x 17 cm - 18.6 Kg</p>		

accessories:



9601 668
wok support



STANDARD BUILT-IN		features	finishing	code
		<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7095 072
		burners	auxiliary 1.000W semi-rapid 1.750 W (x3) triple crown 3.500 W	
		dimensions cut-out	790x500 mm 770x480 mm	
		packing:	90 x 61 x 17 cm - 19,6 Kg	
accessories:	9601 668 wok support			
STANDARD BUILT-IN		features	finishing	code
		<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7295 062
		burners	auxiliary 1.000W semi-rapid 1.750 W (x3) triple crown 3.500 W	
		dimensions cut-out	790x500 mm 770x480/r135 mm	
		packing:	90 x 61 x 17 cm - 19,6 Kg	
accessories:	9601 668 wok support			



STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7097 042
accessories:			
9601 668 wok support			
	burners	semi-rapid 1.750 W dual 4.500 W (x2)	
	dimensions	970x500 mm 950x480 mm	
	cut-out		
	packing:	105 x 60 x 19 cm - 24.3 Kg	



STANDARD BUILT-IN



accessories:



9601 668
wok support



8171 000
grill 23x23 cm

features



cast iron grids
and enamelled burner covers



gas taps with safety valves
with super-fast thermocouples



electronic under-knob ignition

burners

auxiliary 1.000W
semi-rapid 1.750 W (x3)
triple crown 3.500 W

dimensions

cut-out

830x830 mm


see drawing



packing:
96 x 93 x 19 cm - 38 Kg

finishing
Foster
satin

code
7038 052





STANDARD BUILT-IN		features	finishing	code
		<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W</p>	<p>Foster satin </p> <p>design anti-scratch steel </p> <p>microfoster anti-scratch steel </p>	<p>7065 027</p> <p>7065 727</p> <p>7065 427</p>
	accessories:			
	9601 668 wok support			
	8209 020 chromed grids kit			
		<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W</p>	<p>Foster satin </p> <p>microfoster anti-scratch steel </p>	<p>7065 029</p> <p>7065 429</p>
	accessories:			
	9601 668 wok support			
	8209 018 cast iron grids kit			



cooker hobs

standard
built-in

STANDARD BUILT-IN		features	finishing	code		
		cast iron grids and enamelled burner covers	Foster satin	7052 022		
		gas taps with safety valves with super-fast thermocouples	microfoster	7052 442		
		electronic under-knob ignition	anti-scratch steel			
		burners auxiliary 1.000W semi-rapid 1.750 W rapid 2.900 W				
						dimensions cut-out Ø 520 mm Ø 500 mm
STANDARD BUILT-IN		features	finishing	code		
		cast iron grids and enamelled burner covers	Foster satin	7051 042		
		gas taps with safety valves with super-fast thermocouples				
		electronic under-knob ignition				
		burners dual 4.500 W independent crown ignition				
						dimensions cut-out Ø 520 mm Ø 500 mm



STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7067 042
	<p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W</p>		
	<p>dimensions cut-out</p> <p>760x500 mm 560x480 mm</p> <p>packing: 86 x 60 x 18 cm - 15,2 Kg</p>		



 STANDARD BUILT-IN



features

-  cast iron grids and enamelled burner covers
-  gas taps with safety valves with super-fast thermocouples
-  electronic under-knob ignition

burners

auxiliary 1.000W
semi-rapid 1.750 W (x2)
rapid 2.700 W

dimensions

590x500 mm
560x480 mm



packing:
66 x 60 x 18 cm - 13 Kg


finishing

Foster
satin

7066 042



code





STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition <p>burners auxiliary 1.000W - semi-rapid 1.750 W (x2) rapid 2.700 W</p> <p>dimensions cut-out 760x500 mm 740x480 mm</p> <p>packing: 66 x 61 x 17 cm - 14,1 Kg</p>	Foster satin	7024 042
	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition <p>burners auxiliary 1.000W - semi-rapid 1.750 W (x2) rapid 2.700 W</p> <p>dimensions cut-out 590x500 mm 560x480 mm</p> <p>packing: 67 x 60 x 17 cm - 14,4 Kg</p>	Foster satin	7023 042
	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition <p>burners semi-rapid 1.750 W - rapid 2.700 W triple crown 3.500 W</p> <p>dimensions cut-out 760x500 mm 740x480 mm</p> <p>packing: 66 x 61 x 17 cm - 13,3 Kg</p>	Foster satin	7021 042



 STANDARD BUILT-IN



features

 cast iron grids and enamelled burner covers

 gas taps with safety valves with super-fast thermocouples

 electronic under-knob ignition

burners auxiliary 1.000 W - semi-rapid 1.750 W (x2)
rapid 2.700 W

dimensions
cut-out **860x500** mm
840x480 mm




packing: 96 x 61 x 18 cm - 14,2 Kg

finishing

Foster
satin

7019 042



code

7019 042

 STANDARD BUILT-IN



features

 gas taps with safety valves with super-fast thermocouples

 electronic under-knob ignition

burners semi-rapid 1.750 W - rapid 2.700 W
triple crown 3.500 W

dimensions
cut-out **860x500** mm
840x480 mm




packing: 96 x 61 x 18 cm - 19,6 Kg

finishing

Foster
satin

7017 012



code

7017 012

accessories:



9601 668
wok support




8209 026
St. steel grid's set
for wok cooking



8209 025
Cast iron grid's set
for wok cooking



STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7005 042
	burners	auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 3.000 W triple crown 3.800 W	
	dimensions cut-out	750x510 mm 560x480 mm	
	packing:	80 x 58 x 13 cm - 17.2 Kg	

accessories:

**9601 668**

wok support



STANDARD BUILT-IN	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7004 042
	<p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x2) rapid 3.000 W</p>		
	<p>dimensions cut-out</p> <p>600x510 mm 560x480 mm</p> <p>packing: 66 x 58 x 13 cm - 14,8 Kg</p>		

accessories:



[9601 668](#)
wok support



STANDARD BUILT-IN		features	finishing	code
		<input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic ignition burners auxiliary 1.000W semi-rapid 1.750 W	Foster satin	7062 092
	dimensions cut-out	290x500 mm 270x480 mm		
	packing:	55 x 32 x 12 cm - 7.8 Kg		
STANDARD BUILT-IN		features	finishing	code
		<input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition burners triple crown 3.500 W	Foster satin	7061 092
	dimensions cut-out	290x500 mm 270x480 mm		
	packing:	55 x 32 x 11 cm - 7.2 Kg		

A close-up photograph of a high-end stainless steel gas cooktop. The cooktop features four control knobs in the foreground, with two on the left and two on the right. The left side also includes a large, rectangular front burner. The cooktop has a polished, reflective surface. The background is blurred, showing more of the cooktop and its design.

flush-mount and flat-edge

GAS COOKER HOBS

flush-
mount
and
flat-edge

Quadra Series 102

Lisa 107

Professionals 108

Faust 110

Eleonora 111

Vulcano 112

Magic 113

>> **Quadra** series
FLUSH-MOUNT AND FLAT-EDGE



 FLUSH-MOUNT



features

-  cast iron grids and enamelled burner covers
-  gas taps with safety valves with super-fast thermocouples
-  electronic under-knob ignition

burners

auxiliary 1.000 W
semi-rapid 1.750 W
rapid 2.700 W
triple crown 3.500 W

dimensions
cut-out

1179x368 mm
in the carton




packing:
128 x 45 x 20 cm - 22.6 Kg

finishing | code

Foster
satin

7214 042



 FLUSH-MOUNT



features

-  cast iron grids and enamelled burner covers
-  gas taps with safety valves with super-fast thermocouples
-  electronic under-knob ignition

burners

auxiliary 1.000 W
semi-rapid 1.750 W
triple crown 3.500 W

dimensions
cut-out

925x368 mm
in the carton




packing:
100 x 45 x 20 cm - 16.6 Kg

finishing | code

Foster
satin

7211 042



 FLAT-EDGE



features

-  cast iron grids and enamelled burner covers
-  gas taps with safety valves with super-fast thermocouples
-  electronic under-knob ignition

burners

auxiliary 1.000 W
semi-rapid 1.750 W
rapid 2.700 W
triple crown 3.500 W

dimensions
cut-out

1179x368 mm
1162x351 mm




packing:
128 x 45 x 20 cm - 22.4 Kg

finishing | code

Foster
satin

7215 042



 FLAT-EDGE



features

-  cast iron grids and enamelled burner covers
-  gas taps with safety valves with super-fast thermocouples
-  electronic under-knob ignition

burners

auxiliary 1.000 W
semi-rapid 1.750 W
triple crown 3.500 W

dimensions
cut-out

925x368 mm
908x351 mm




packing:
100 x 45 x 20 cm - 16.6 Kg

finishing | code

Foster
satin

7212 042



>> **Quadra Corner** series

FLUSH-MOUNT AND FLAT-EDGE






>> Quadra Corner series

FLUSH-MOUNT AND FLAT-EDGE

FLUSH-MOUNT	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W (x2) semi-rapid 1.750 W rapid 2.700 W triple crown 3.500 W</p> <p>dimensions cut-out</p> <p>972x972 mm in the carton</p> <p>packing: 99 x 99 x 15 cm - 29 Kg</p>	Foster satin	7238 042
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W rapid 2.700 W</p> <p>dimensions cut-out</p> <p>719x625 mm in the carton</p> <p>packing: 99 x 99 x 15 cm - 17,2 Kg</p>	Foster satin	7239 042
FLAT-EDGE	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W (x2) semi-rapid 1.750 W rapid 2.700 W triple crown 3.500 W</p> <p>dimensions cut-out</p> <p>972x972 mm in the carton</p> <p>packing: 99 x 99 x 15 cm - 29 Kg</p>	Foster satin	7235 042
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W rapid 2.700 W</p> <p>dimensions cut-out</p> <p>719x625 mm in the carton</p> <p>packing: 99 x 99 x 15 cm - 17,2 Kg</p>	Foster satin	7233 042

flush-
mount
and
flat-edge



FLUSH-MOUNT	features	finishing	burner	code
 	cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition	Foster satin	semi-rapid	7221 042
burners	semi-rapid 1.750 W triple crown 3.500 W	Foster satin	triple crown	7223 042
dimensions cut-out	321x466 mm in the carton			
	 packing: 53 x 41 x 16 cm - 6.6/7.0 Kg			
FLAT-EDGE	features	finishing	burner	code
 	cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition	Foster satin	semi-rapid	7222 042
burners	semi-rapid 1.750 W triple crown 3.500 W	Foster satin	triple crown	7224 042
dimensions cut-out	321x466 mm 309x454 mm			
	 packing: 53 x 41 x 16 cm - 6.6/7.0 Kg			



FLUSH-MOUNT	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition <p>burners</p> <ul style="list-style-type: none"> auxiliary 1.100W semi-rapid 1.750 W (x2) rapid 3.000 W triple crown 3.500 W <p>dimensions cut-out</p> <p>842x600 mm in the carton</p>	Foster satin	7290 032
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition <p>burners</p> <ul style="list-style-type: none"> auxiliary 1.100W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W <p>dimensions cut-out</p> <p>842x600 mm in the carton</p>	Foster satin	7291 032

flush-
mount
and
flat-edge

>> **Professional series**
FLUSH-MOUNT AND FLAT-EDGE



>> Professional series

FLUSH-MOUNT AND FLAT-EDGE

FLUSH-MOUNT



accessories:



8172 000
grill 42x22 cm

features

- cast iron grids and enamelled burner covers
- gas taps with safety valves with super-fast thermocouples
- electronic under-knob ignition

burners

- auxiliary 1.000 W
- semi-rapid 1.750 W (x2)
- rapid 2.700 W
- triple crown 3.500 W

dimensions cut-out

873x513 mm

in the carton




packing:
96 x 61 x 19 cm - 23 Kg

finishing

Foster
satin

7245 042



FLUSH-MOUNT



accessories:



8172 000
grill 42x22 cm



9601 668
wok support

features

- cast iron grids and enamelled burner covers
- gas taps with safety valves with super-fast thermocouples
- electronic under-knob ignition

burners

- auxiliary 1.000W
- semi-rapid 1.750 W (x2)
- triple crown 3.500 W

dimensions cut-out

603x513 mm

in the carton




packing:
69 x 60 x 17 cm - 16,6 Kg

finishing

Foster
satin

7243 042



FLAT-EDGE



accessories:



8172 000
grill 42x22 cm

features

- cast iron grids and enamelled burner covers
- gas taps with safety valves with super-fast thermocouples
- electronic under-knob ignition

burners

- auxiliary 1.000 W
- semi-rapid 1.750 W (x2)
- rapid 2.700 W
- triple crown 3.500 W

dimensions cut-out

873x513 mm

840x480 mm




packing:
96 x 61 x 19 cm - 23 Kg

finishing

Foster
satin

7246 042



FLAT-EDGE



accessories:



8172 000
grill 42x22 cm



9601 668
wok support

features

- cast iron grids and enamelled burner covers
- gas taps with safety valves with super-fast thermocouples
- electronic under-knob ignition

burners

- auxiliary 1.000W
- semi-rapid 1.750 W (x2)
- triple crown 3.500 W

dimensions cut-out

603x513 mm

560x480 mm




packing:
69 x 60 x 17 cm - 16,6 Kg

finishing

Foster
satin

7244 042




flush-
mount
and
flat-edge



FLUSH-MOUNT	features	finishing	code
	cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition	Foster satin	7047 072
	burners auxiliary 1.000 W semi-rapid 1.750 W (x3) triple crown 3.500 W		
	dimensions cut-out 803x513 mm in the carton		
	packing: 90 x 61 x 17 mm - 20 Kg		
FLAT-EDGE	features	finishing	code
	cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition	Foster satin	7048 072
	burners auxiliary 1.000 W semi-rapid 1.750 W (x3) triple crown 3.500 W		
	dimensions cut-out 803x513 mm 770x480 mm		
	packing: 90 x 61 x 17 mm - 20 Kg		



FLUSH-MOUNT	features	finishing	code
	<ul style="list-style-type: none"> cast iron grids and enamelled burner covers gas taps with safety valves with super-fast thermocouples electronic under-knob ignition 	Foster satin	7296 072
	<p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W (x3) triple crown 3.500 W</p>		
	<p>dimensions cut-out</p> <p>873x513 mm in the carton</p> <p>packing: 96 x 61 x 18 cm - 20 Kg</p>		


flush-
mount
and
flat-edge

accessories:





FLUSH-MOUNT	features	finishing	code
	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> cast iron grids and enamelled burner covers <input checked="" type="checkbox"/> gas taps with safety valves with super-fast thermocouples <input checked="" type="checkbox"/> electronic under-knob ignition 	Foster satin	7297 042
	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> burners semi-rapid 1.750 W dual 4.500 W (x2) 		
accessories:			
9601 668 wok support			





FLUSH-MOUNT	features	finishing	code
	<ul style="list-style-type: none">  cast iron grids and enamelled burner covers  gas taps with safety valves with super-fast thermocouples  electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W rapid 2.700 W</p> <p>dimensions cut-out</p> <p>773x513 mm in the carton</p> <p> packing: 86 x 60 x 18 cm - 14,4 Kg</p>	<p>Foster satin </p>	7044 042

FLUSH-MOUNT	features	finishing	code
	<ul style="list-style-type: none">  cast iron grids and enamelled burner covers  gas taps with safety valves with super-fast thermocouples  electronic under-knob ignition <p>burners</p> <p>auxiliary 1.000W semi-rapid 1.750 W rapid 2.700 W</p> <p>dimensions cut-out</p> <p>613x513 mm in the carton</p> <p> packing: 67 x 60 x 17 cm - 13,7 Kg</p>	<p>Foster satin </p>	7042 042



electric
COOKER HOBS

*Induction
Cooker Hobs* 116

Teppanyaki and Grill 120

*Ceramic Glass
halogen hobs* 122

CERAMIC GLASS INDUCTION HOBS

SPECIFICATIONS


Induction technology has been available for some time, but only recently has it achieved extraordinary quality and safety standards. Foster hobs feature latest generation technology, ground-breaking as to performance, power delivery, ventilation system and quick cooking features.



Recessing into the cabinet


To operate in an optimum way, induction hobs need to be adequately ventilated. The appliance should therefore be installed in compliance with the dimensions given in the figure.

Refer to the instruction manual if the hob is installed on top of other appliances (oven, dishwasher).



CERAMIC GLASS HALOGEN HOBS


SPECIFICATIONS



High-Light plates: Foster hobs are all equipped with high-efficiency High-Light halogen plates that are very quick to heat up. The 9 different power delivery levels make the hobs extremely versatile to use and provide constant temperatures for delicate cooking operations.



Multiple zones: multiple heating elements with two and three levels get the most out of the available space and can be used to adapt the zone to the diameter of the saucepan.



Cut-out for hobs with chamfered edge.



Cut-out for hobs with vertical edge.

INSTALLATION METHODS FOR CERAMIC GLASS HOBS

Induction and halogen hobs can be installed either resting on the top or with the flush-mount method, by creating a recess in the worktop the same depth as the thickness of the glass. Moreover, the majority of the hobs have a special slanting edge (chamfered) that gives a clean and elegant finish with both the installation methods and perfectly matches the Flat-edge sinks.



Powerboost: this function increases the power delivered by up to 60%. It is ideal for bringing liquids to the boil as fast as possible.

Quantity	Without Powerboost	With Powerboost
3 litres	3,5 min.	1,8 min.
5 litres	4,5 min.	2,7 min.

Times required to bring to boiling point with and without Powerboost



Pot Detector: not only do Foster hobs detect the saucepans standing on them, but they also calculate the area they cover. This system allows the energy to be used even more efficiently. Moreover, the plates switch off automatically when the pan is removed.



Smart Fan System: correct ventilation is essential if the induction hob is to function in the best possible way. The Foster system automatically regulates the amount of ventilation to suit the temperatures reached.

COMMON SPECIFICATIONS



Electronic programming

all the operations are selected with the touch-controls on the actual hob itself.

Each plate features independent programming, which allows different cooking times to be selected. When the hob is switched off, the timer can be used like a clock.



Go&Stop device


Turns on the plates initially at maximum power until the selected temperature has been reached.



Safety: all Foster's electric cooker hobs feature the most modern and sophisticated safety protections: centralized power-off function for the hob; child-proof safety lock; Safety System that activates if the hob is accidentally powered; Overflow detector that automatically turns off the plate and activates a warning buzzer; automatic deactivation after three hours on to prevent accidents caused by forgetfulness.


>> vitroline Induction

features	finishing	code
	black ceramic glass	7371 200
induction cooker hob		
electronic programming Powerboost function touch controls go&stop device safety lock 9 power settings per zone		
cooking zones	Ø 210 mm - 3.100 W Ø 180 mm - 2.800 W Ø 210 mm - 3.100 W Ø 180 mm - 2.800 W	
dimension cut-out	770x510x64 mm 750x490* mm	 packing: 94,5x59,5x16 cm - 18 Kg




*The measures are referred to standard built-in installation.
For flush-mount installation please refer to the instructions in the packing.

features	finishing	code
	black ceramic glass	7370 200
induction cooker hob		
electronic programming Powerboost function touch controls go&stop device safety lock 9 power settings per zone		
cooking zones	Ø 160 mm - 2.000 W Ø 180 mm - 2.800 W Ø 210 mm - 3.100 W Ø 180 mm - 2.800 W	
dimension cut-out	580x510x64 mm 560x490* mm	 packing: 75x60x14 cm - 15 Kg




*The measures are referred to standard built-in installation.
For flush-mount installation please refer to the instructions in the packing.






chamfered edge

cut-out instruction for flush mounting




features	finishing	code
	black ceramic glass	7332 200
induction cooktop		
electronic programming Powerboost function touch controls go&stop device safety lock 9 power settings per zone		
cooking zones		
Ø 300 mm -2.300 W 3.700 W Powerboost Ø 180 mm -1.400 W 1.800 W Powerboost Ø 145 mm -1.400 W 1.800 W Powerboost Ø 210 mm -2.300 W 3.300 W Powerboost		
dimension cut-out		
800x500x46 mm 780x480 mm		
packing: 90x55x12 cm - 16 Kg		





chamfered edge

cut-out instruction for flush mounting






features	finishing	code
	black ceramic glass	7331 200
induction cooktop		
electronic programming Powerboost function touch controls go&stop device safety lock 9 power settings per zone		
cooking zones		
Ø 145 mm -1.400 W 1.800 W Powerboost Ø 180 mm -1.850 W 2.500 W Powerboost Ø 300 mm -2.300 W 3.700 W Powerboost		
dimension cut-out		
590x520x46 mm 570x500 mm		
packing: 68x58x12 cm - 13.5 Kg		







chamfered edge

cut-out instruction for flush mounting



cut-out instruction for flush mounting





features	finishing	code
 <p>induction cooker hob electronic programming Powerboost function touch controls go&stop device safety lock 9 power settings per zone</p> <p>cooking zones Ø 300 mm - 2.400 W 3.700 W Powerboost</p> <p>dimension cut-out 520x380x46 mm 500x360 mm</p>	black ceramic glass	7321 200



vertical edge

cut-out instruction for flush mounting





features	finishing	code
 <p>induction cooker hob electronic programming Powerboost function touch controls go&stop device safety lock 9 power settings per zone</p> <p>cooking zones Ø 210 mm - 1.850 W 2.400 W Powerboost Ø 145 mm - 1.400 W 1.800 W Powerboost</p> <p>dimension cut-out 520x380x46 mm 500x360 mm</p>	black ceramic glass	7322 200



vertical edge

cut-out instruction for flush mounting





>> vitroline Teppan

features	finishing	code
 <p>Teppanyaki hob chromed steel surface electronic temperature control from 120° to 240°C</p> <p>zona cottura 380x380 mm - 2.500 W</p> <p>dimension cut-out 520x380x68 mm 500x360 mm</p>	black ceramic glass	7325 400

 vertical edge

cut-out instruction for flush mounting





>> vitroline Grill

features	finishing	code
 <p>Grill ceramic glass base resistance 2.500 W 7 power settings cast iron grid</p> <p>dimension cut-out 520x380x95 mm 500x360 mm</p> <p> supplied with 1,6 Kg of volcanic stone</p>	black ceramic glass	7326 300

 vertical edge

cut-out instruction for flush mounting





accessories



Satin finish stainless steel jointing profile.
Allows the various 38x52 cm size models
of the Vitriline series to be coupled together.

Frontal sizes: 30x520 mm


finishing | code
aluminium | 8320 000



electric




features	finishing	code
	black ceramic glass	7311 000
electric cooker hob high-light halogen plates electronic programming touch controls go&stop device safety lock 9 power settings per zone total power 7.000 W right: Ø 180 mm - 2.300 W centre: Ø 240 mm - 2.500 W Ø 180 mm - 1.600 W Ø 120 mm - 800 W left: Ø 180 mm - 2.200 W Ø 145 mm - 7.500 W		



chamfered edge


*Warning:
 The size of the terminal board, i.e. 20 mm,
 must be added to the depth of the hob given in the drawing.




dimension cut-out 900x450x47+20* mm
 see drawing



packing:
 96x51x12 cm - 14,5 Kg





chamfered edge

*Warning:
The size of the terminal board, i.e. 20 mm,
must be added to the depth of the hob given in the drawing.



20

features	finishing	code
----------	-----------	------

black ceramic glass **7313 000**

electric cooker hob


high-light halogen plates
electronic programming
touch controls
go&stop device
safety lock
9 power settings per zone

cooking zones

total power 6.000 W
right: Ø 240 mm - 2.500 W
Ø 180 mm - 1.600 W
Ø 120 mm - 800 W
centre: Ø 145 mm - 1.200 W
left: Ø 210 mm - 2.300 W

dimension
cut-out 775x350x47+20* mm
755x335 mm

packing:
85x44x15 cm - 10.2 Kg



features	finishing	code
----------	-----------	------

black ceramic glass **7315 000**

electric cooker hob

high-light halogen plates
electronic programming
touch controls
go&stop device
safety lock
9 power settings per zone

cooking zones

total power 3.600 W
right: Ø 145 mm - 600 W
centre: Ø 210 mm - 1.800 W
left: Ø 180 mm - 1.200 W


dimension
cut-out 520x500x42+20* mm
see drawing

packing:
65x60x15 cm - 10.5 Kg



chamfered edge

*Warning:
The size of the terminal board, i.e. 20 mm,
must be added to the depth of the hob given in the drawing.



20

electric



*Warning:
The size of the terminal board, i.e. 20 mm,
must be added to the depth of the hob given in the drawing.



features	finishing	code
----------	-----------	------

black ceramic glass **7302 000**

electric cooker hob


high-light halogen plates
electronic programming
touch controls
go&stop device
safety lock
9 power settings per zone

cooking zones


total power 2.900 W
superiore: Ø 180 mm - 1.700 W
Ø 120 mm - 600 W
inferiore: Ø 145 mm - 1.200 W

dimension
cut-out

packing:
40x60x14 cm - 5.5 Kg



*Warning:
The size of the terminal board, i.e. 20 mm,
must be added to the depth of the hob given in the drawing.



features	finishing	code
----------	-----------	------

black ceramic glass
cornice inox spazzolato **7352 000**

electric cooker hob


high-light halogen plates
go&stop device
9 power settings per zone

cooking zones

total power 4.200 W
right: Ø 145 mm - 1.200 W
centre: Ø 210 mm - 1.800 W
left: Ø 145 mm - 1.200 W

dimension
cut-out

packing:
65x60x15 cm - 8.6 Kg






*Warning:
The size of the terminal board, i.e. 20 mm,
must be added to the depth of the hob given in the drawing.



features	finishing	code
	black ceramic glass	7345 000
electric cooker hob		
high-light halogen plates electronic programming touch controls go&stop device safety lock 9 power settings per zone		
cooking zones		
total power 7.200 W 1.200 W 1.800 W 1.000-2.200 W 1.100-2.000 W		
dimension	785x495x41+20* mm see in the carton	
cut-out		
		packing: 86x57x15 cm - 12.5 Kg



Foster F



island hoods 128
wall-mount hoods 129
corner hoods 134


Rondò isola - hood for island installation




features	finishing	code
Island aspiring hood with telescopic chimney Optional filtering function One anti-grease filter Four working speeds 2 halogen lights (20 W) capacity: 300-800 m ³ /h chimney height: 790-1210 mm air ejection hole: Ø 120-150 mm motor power: 410 W	Foster satin	2452 100
	accessories	9700 292



packing:
100 x 69 x 67 cm - 27 Kg



Rondò parete - wall-mounted hood

features	finishing	code	
Aspiring hood for linear wall mount 71 cm Optional filtering function Two anti-grease filter Four working speeds 2 halogen lights (20 W) capacity: 300÷800 m ³ /h chimney height: 395÷795 mm air ejection hole: Ø 120-150 mm motor power: 410 W	Foster satin	2453 100	
	accessories	9700 292	 packing: 66 x 59 x 80 cm - 16 Kg


Professionale and Cucinotta - wall-mounted hoods




features	model	finishing	code
Aspiring hoods for linear wall mount Optional filtering function Three anti-grease filter Three working speeds Automatic delayed switching off 2 halogen lights (20 W) capacity: - Professionale: 1.100 m ³ /h - Cucinotta: 800 m ³ /h chimney height: 540-900 mm air ejection hole: Ø 120-150 mm motor power: 320 W	Professionale 90 cm Cucinotta 100 cm	Foster satin	2431 110
		Foster satin	2430 110
		accessories carbon filter (the hood needs 2 filters)	9000 003



packing:
91 x 58 x 45 cm - 25,0 Kg
101 x 58 x 45 cm - 26,5 Kg



Chimmy - wall-mounted hood

features	finishing	code
Aspiring hood for linear wall mount 90 cm Optional filtering function Three anti-grease filter Three working speeds 2 halogen lights (20 W) max suction capacity: 670 m ³ /h chimney height: 663-998 mm air ejection hole: Ø 120 mm motor power: 320 W	Foster satin  accessories Carbon filter kit (2 pcs.)	2428 000 9001 001
		  packing: 101 x 39 x 61 cm - 15 Kg

Alien - wall-mounted hood




features	finishing	code	
Aspiring hood for linear wall mount 90 cm Optional filtering function Two anti-grease filter Three working speeds Automatic delayed switching off 2 halogen lights (20 W) max suction capacity: 1.100 m ³ /h chimney height: 520-900 mm air ejection hole: Ø 120-150 mm motor power: 360 W	Foster satin	2490 100	
	accessories carbon filter <small>(the hood needs 2 filters)</small>	9000 003	

Magic - wall-mounted hood

features	finishing	code
Aspiring hood for linear wall mount 90 cm Optional filtering function One anti-grease filter Three working speeds Automatic delayed switching off 2 halogen lights (20 W) max suction capacity: 1,100 m ³ /h chimney height: 450-880 mm air ejection hole: Ø 120-150 mm motor power: 360 W	Foster satin	2424 110
	accessories carbon filter <small>(the hood needs 2 filters)</small>	9000 004

 packing:
 97 x 68 x 51 cm - 22,5 Kg



Prisma - Corner hood


features	finishing	code
Corner aspiring hood Optional filtering function One anti-grease filter Four working speeds 1 halogen light (20 W) 2 Dicroici lights (20 W) max suction capacity: 800 m ³ /h chimney height: 450-850 mm air ejection hole: Ø 120-150 mm motor power: 430 W	Foster satin	2437 000
	Shelf in etched crystal 90x90 cm	2437 001
	accessories Carbon filter kit (2 pcs.)	9700 292
	packing: 90 x 76 x 77 cm - 20 Kg 142 x 75 x 4 cm - 10 Kg (shelf)	

Pitagora - Corner hood

features	finishing	code
Corner aspiring hood 90x90 cm Optional filtering function Two anti-grease filter Three working speeds Automatic delayed switching off 2 halogen lights (20 W) max suction capacity: 800 m ³ /h chimney height: 450-850 mm air ejection hole: Ø 120-150 mm motor power: 320 W	Foster satin	2439 010
	accessories carbon filter <small>(the hood needs 2 filters)</small>	9000 003



packing:
98 x 98 x 60 cm - 31,5 Kg



SELECTOR



Features 138

- 4000 Series 140
- KS Series 148
- Compact Series 152
- 60 multifunction ovens 156
- 90 multifunction oven 159



Thermal insulation and tangential ventilation

Energy-efficient Foster ovens are the result of accurately planned latest generation muffles that are highly insulating and isolated from the bearing structure of the appliance. Moreover, tangential ventilation, which is a feature of all models, creates an air flow between the muffle and framework, thus lowering the temperature of the external surfaces. This means that the ovens subject the surrounding furniture to limited temperature changes, making it longer lasting.



Triple glass cold door

All the ovens have a door with multiple glazing. This makes the door cool to the touch and safeguards against possible accidents.

Oven light

Independent inside light.

Double grill

The heat emanates only from the top grill. It's ideal to toast, gratinate and brown large size food, suitable for meats, fish, pasta.

Lower cooking

Suitable to warm-up food.

Traditional cooking

Ideal functioning for all traditional recipes, to bake bread, pies and roast meat.

Ventilated cooking

The combination between the fan and the circular coil allow the heat to be distributed evenly. It will let you cook different types of dishes without their odors and tastes intermingling.

Energy Saving

Good for delicate dishes.



Full glass door

In many models, the interior part of the door is a single smooth glass surface that's very easy to clean.



Fast preheating

This function turns on the heating elements and a flow of hot air raises the temperature to 200°C within a very short time.



Anti-touch finish

The new ovens are proposed with an innovative anti-touch finish that protects the steel surfaces from unsightly fingerprints thanks to the special protection.

Cooking system in multifunctional ovens



Oven light

Independent inside light.



Double grill

The heat emanates only from the top grill. It's ideal to toast, gratinate and brown large size food, suitable for meats, fish, pasta.



Lower cooking

Suitable to warm-up food.



Traditional cooking

Ideal functioning for all traditional recipes, to bake bread, pies and roast meat.



Ventilated cooking

The combination between the fan and the circular coil allow the heat to be distributed evenly. It will let you cook different types of dishes without their odors and tastes intermingling.



Energy Saving

Good for delicate dishes.



Central grill

Perfect to toast or gratinate small quantities of food.



Pizza function

The combined action of cooking on the underside, forced convection and the grill obtains a crispy and perfectly baked pizza.



Top coil

Cooking system for very delicate foods and to keep dishes warm after cooking.



Defrosting

This allows you to thaw food by means of an even room temperature air circulation, cutting down the defrosting time to 1/3.



Fan and grill

The dual action allows the fast and deep cooking of particularly bulky food, such as poultry.



Traditional ventilated cooking

The upper and bottom electrical coils and the fan render cooking particularly fast and even. Also for more than one dish at the same time. Perfect for pizza, roast meats, lasagna and savory pies.



Oven Specifications

A comprehensive range of solutions that has been enlarged to include new series and models. From the Faust maxi oven with its 90 cm base to the small-size Compact ovens, you'll always find the perfect solution even when space is at a premium. Our proposals are modular and also include coordinated steam and microwave models allowing users to customize their kitchens as they desire.



Easy Clean enamel

The special Easy Clean enamel gives a perfect non-stick finish to the oven interior and the accessories supplied. The surfaces are extremely long lasting and very easy to clean thanks to their hardness and minimum degree of porosity.



Fully extractable runners

Most of the models feature (as part of the standard equipment or as an optional accessory) telescopic runners on three levels that get the most out of the available space and facilitate every operation. They allow you to completely remove the shelves and pans during cooking in full safety.



Self-cleaning with pyrolysis

This is a process that carbonizes organic substances at a temperature of 500°C. The ash residue can be easily removed with a damp cloth. The length of the pyrolysis cycle in Foster ovens is automatically adjusted according to how dirty the oven is (from 30 min to 2h 15 min). The safety lock prevents the door from being opened at temperatures above 300°C.



Side opening

In models with this feature, the door opens fully through 180° and can be installed opening either towards the right or left, as desired. This makes access to the oven extremely practical and convenient.

Manufacturer Model	Oven
	Foster



Class A

Introduced by the European standards in 2003, the energy label provides the consumer with a practical and important method for evaluating and comparing the different appliances available on the market.

The entire range of Foster ovens comes under Class A, the category of merit when it comes to energy efficiency. An important result that testifies to high quality dedicated to optimizing both savings and performance.



>> 4000 series ovens

**Advanced technology
and a strong linear design.
All of this within a modular
concept that can satisfy
every requirement.**

The 4000 Series is a complete range of traditional, multifunction, pyrolytic, steam and microwave ovens that can be combined perfectly in horizontal or stacked systems. The preset and highly customisable intuitive electronics - available on all models - are activated with touch controls that give them a clean and minimalist design. The latest features and equipment guarantee high performance, safety and energy savings.





4000 SERIES SPECIFICATIONS



modular concept:

In the 60x46 cm compact size, the 4000 Series ovens include multifunction electric and pyrolytic ovens as well as steam and microwave models. Featuring a perfectly coordinated design, these models are ideal for the most varied modular combinations, side by side with other furniture and appliances or stacked, to ensure that your kitchen is both attractive and functional.



The clean design of 4000 Series ovens extends to every element and detail. The elegant handle blends to become one with the linear design of the oven.



The plate warmer is a versatile accessory both for warming the crockery, heating food and keeping it warm, thawing and proving.



The standard equipment can be completed by a set of optional accessories: the refractory plate for perfect pizzas and flat cakes, and the luxurious Pyrex glass dish

>> 4000 series ovens



touch minimalism:

the clean and linear design that characterizes the 4000 series ovens is brought to the extreme in model 4060 PL, thanks to the innovative opening system with which it is equipped. There's no handle. The oven is absolutely flat and is a perfect addition to the minimalist style of the modern kitchen. The door, which opens sideways, is controlled electronically by the touch-control panel. Just a simple gesture is all that's needed to open it.



Features and Functions:

As well as the general features of Foster ovens described on the previous pages, the 4000 Series is complete with the further equipment listed below.

Intelligent electronics



All operations are performed from the touch-control panel. A highly professional layout that perfectly reflects the technological capabilities of all the models. The ample display allows intuitive interaction, with preset recipes, and many possibilities for customisation. Everything can be set in various languages.



StopSol glass

The special darkening and reflecting treatment of the external glass gives the oven an elegant yet aggressive design. The inside of the oven stays dark when not in operation. When the inside light is switched on the food inside is clearly visible.



Thermocouple probe

A highly professional accessory, the thermocouple probe lets you check the temperature inside the food being cooked. A sound signal indicates that the right temperature has been reached, which you can set on the display, and automatically deactivates the heating elements of the oven.



Height 46

The wide range of low ovens with a height of 46 accompanies those with the classical 60 measurement, with the dual purpose of solving problems of space while being able to configure different customised combinations for special and professional use.

4060 - PL



Features



Functions



Features

multifunctional oven 60x60 cm
Door without handle
with touch-control operation

10 operating programmes
Thermocouple probe
Full Glass inside door
StopSol glass
EasyClean enamel
Smart electronics
Fast preheating
Programmed recipes
14 customized programmes
Touch Control panel
Safety lock
Pull-out telescopic runners on 3 levels
Tangential ventilation
Warning when set temperature has been reached
Removable protection for grill heating element
Triple glass door
Independent inside light
Energy class: A

capacity

59 Litres


equipment

2 baking pans with EasyClean enamelling
1 stainless steel rack

technical data

max absorbed power: 3.200 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C

finishing	code
anti-touch brushed	7130 043
accessories	
Refractory plate Pyrex glass baking dish	8801 000 8802 000



packing:
66 x 66 x 66 cm - 43 Kg

4060



Features



Functions



Features

multifunctional oven 60x60 cm
10 operating programmes
Thermocouple probe
Full Glass inside door
StopSol glass
EasyClean enamel
Smart electronics
Fast preheating
Programmed recipes
14 customized programmes
Touch Control panel
Safety lock
Pull-out telescopic runners on 3 levels
Tangential ventilation
Warning when set temperature has been reached
Removable protection for grill heating element
Triple glass door
Independent inside light
Energy class: A

capacity

59 Litres


equipment

2 baking pans with EasyClean enamelling
1 stainless steel rack

technical data


max absorbed power: 3.200 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C

finishing	code
anti-touch brushed	7131 043
accessories	
Refractory plate Pyrex glass baking dish	8801 000 8802 000




packing:
66 x 66 x 66 cm - 43 Kg

4046 P

		finishing	code
Features	multif. pyrolytic oven 60x46 cm 10 operating programmes Self-cleaning by pyrolysis Thermocouple probe Full Glass inside door StopSol glass EasyClean enamel Smart electronics Fast preheating Programmed recipes 14 customized programmes Touch Control panel Safety lock Tangential ventilation Warning when set temperature has been reached Removable protection for grill heating element Triple glass door Independent inside light Energy class: A	anti-touch brushed	7132 043
capacity	42 Litres		
equipment	2 baking pans with EasyClean enamelling 1 stainless steel rack	accessories Refractory plate Pyrex glass baking dish	8801 000 8802 000
technical data	max absorbed power: 3.050 W electrical consumption: - by natural convection: 0.89 kWh - by forced convection: 0.79 kWh Max temperature: 250°C / 475°C		 packing: 66 x 66 x 58 cm - 38 Kg
Features	A Pyrolysis StopSol EASY Clean T-probe triple glass Height 46 anti touch		
Functions			

4046

		finishing	code
Features	multifunctional oven 60x46 cm 10 operating programmes Thermocouple probe Full Glass inside door StopSol glass EasyClean enamel Smart electronics Fast preheating Programmed recipes 14 customized programmes Touch Control panel Safety lock Pull-out telescopic runner Tangential ventilation Warning when set temperature has been reached Removable protection for grill heating element Triple glass door Independent inside light Energy class: A	anti-touch brushed	7133 043
capacity	42 Litres		
equipment	2 baking pans with EasyClean enamelling 1 stainless steel rack	accessories Refractory plate Pyrex glass baking dish	8801 000 8802 000
technical data	max absorbed power: 3.050 W electrical consumption: - by natural convection: 0.89 kWh - by forced convection: 0.79 kWh Max temperature: 250°C		 packing: 66 x 66 x 58 cm - 38 Kg
Features	A EASY Clean StopSol Extractable Runner T-probe triple glass Height 46 anti touch		
Functions			

4046 VAPOR



Features



Features

steam oven 60x46 cm
 6 operating programmes
Thermocouple probe
 Full Glass inside door
 Cristal StopSol
 Interno forno in acciaio inox
 Smart electronics
 Programmed recipes
 Touch Control
 Safety lock
 Cooling system with tangential ventilation
Warning when set temperature has been reached
 Water level indicator
 Triple glass door
Energy class: A

capacity

26 Litres

equipment

1 tray
 1 perforated tray
 1 inox tray

technical data

max absorbed power: 2.200 W
 electrical consumption: 0.58 kWh
 Max temperature: 250°C



packing:
 66 x 66 x 58 cm - 40 Kg


finishing

Foster

satin

code

7135 080



Steam oven cooking system

**Steam cooking**

Recommended primarily for cooking vegetables. It preserves all the characteristics of the food (flavours, smells and colours), vitamins and minerals. Several dishes can be cooked together.

**Convection cooking**

A system of cooking that uses hot air. Ideal for tarts, biscuits and meringues.

**Food heating**

Ideal for heating up precooked foods enhancing flavours and smells. Several foods can be heated up simultaneously in a quick, practical and cost effective manner.

**Convection + steam**

A mixed system that combines a hot air flow with steam, for particularly tasty dishes.

**Professional cooking**

Ideal for all foods that require proving, with two stages of cooking: the first with steam, and the second with hot air.

**Delicate cooking**

Ideal for slow cooking meat, thanks to the temperature that is controlled by the use of the Thermocouple probe.

4013 SP



Features

60x13 cm module plate warmer - food heater

finishing

anti-touch

brushed

code

7138 000

capacity

max 25 Kg



packing:
 66 x 66 x 22 cm - 16.5 Kg

packing

box

code

7138 000

Features



finishing

anti-touch

brushed

code

7138 000

code

4046 MICRO



Features




Features	finishing	code
microwave oven+grill 60x46 cm 6 power setting: 200/400/600/800/1000/1500 Watt (grill) Full Glass inside door Cristal StopSol Smart electronics 3 costumized programmes Touch Control Safety lock Selectable 1500 Watt grill Timer setting 0-90 minutes Automatic thawing according to time and weight Internal rotating plate that can be deactivated	Foster satin	7136 020

capacity 32 Litres

equipment Internal Ø 32 cm rotating plate
Crunch plate
Two different grids

technical data max absorbed power: 1.500 W

packing:
66 x 66 x 58 cm - 36 Kg

Microwave oven cooking systems

**Microwave cooking**

Ideal for cooking or heating vegetables, rice, fish, meat and liquids in a rapid way. 6 different power settings can be obtained.

**Automatic thawing**

Thaws frozen food after the type of food and its weight have been selected.

**Grill**

Quickly browns the surface of the food. The supplied Crunch plate also makes the underside of the food crispy.

**Preset programmes**

Programmes for warming up, cooking, thawing + cooking lots of different foods can be selected.

**Micro-grill cooking**

Combined cooking method that's perfect for lasagne, roasts, roast potatoes and soufflés.

accessories

**Refractory plate**

cod. 8801 000

Plate made of refractory material with a high heating power for natural cooking. Ideal for pizzas and muffins.

**Tray Pyrex**

cod. 8802 000

The purity and elegance of Pyrex glass for optimised cooking, from the oven straight to the table.


>> KS series ovens

Simple lines, the contrast of steel and dark glass, details like the push-in controls and the horizontal opening are the common denominator of this family of ovens designed for a demanding public that refuses to compromise on design and performance.


The ovens of the KS Series are available in two versions, 46x60 and 60x60, to satisfy different space requirements. However, these solutions are also designed for high impact vertical mounting, for those who wish to combine top performance with the practicality and economy of a smaller oven.




KS - 60 PL

		finishing	code	
	<p>Features</p> <p>A      </p> <p>Functions</p> <p>        </p>	multifunctional oven 60x60 cm 9 operating programmes Reversible 180° side opening Full Glass inside door StopSol glass EasyClean enamel Pull-out telescopic runners on 3 levels Digital electronic programming di inizio e fine cottura Push-in selection knob Safety lock Cooling with tangential ventilation Removable protection for grill heating element Triple glass door Independent inside light Energy class: A	anti touch brushed  accessories Refractory plate Pyrex glass baking dish	7120 043 8801 000 8802 000
capacity	59 Litres			
equipment	2 baking pans with EasyClean enamelling 1 stainless steel rack		 packing: 66 x 66 x 66 cm - 89.5 Kg	
technical data	max absorbed power: 2.980 W electrical consumption: - by natural convection: 0.94 kWh - by forced convection: 0.79 kWh Max temperature: 250°C			

KS - 46 PL


		finishing	code	
	<p>Features</p> <p>A       </p> <p>Functions</p> <p>        </p>	multifunctional oven 60x46 cm 9 operating programmes Reversible 180° side opening Full Glass inside door StopSol glass EasyClean enamel Pull-out telescopic runner Digital electronic start and end of cooking Push-in selection knob Safety lock Cooling with tangential ventilation Removable protection for grill heating element Triple glass door Independent inside light Energy class: A	anti touch brushed  accessories Refractory plate Pyrex glass baking dish	7121 043 8801 000 8802 000
capacity	42 Litres			
equipment	1 baking pans with EasyClean enamelling 1 stainless steel rack		 packing: 66 x 66 x 58 cm - 37 Kg	
technical data	max absorbed power: 2.760 W electrical consumption: - by natural convection: 0.89 kWh - by forced convection: 0.79 kWh Max temperature: 250°C			

KS - 60

		finishing	code
Features	   	multifunctional oven 60x60 cm 5 operating programmes Full Glass inside door StopSol glass EasyClean enamel Analogue programming end of cooking Push-in selection knob Cooling system with tangential ventilation Removable protection for grill heating element Independent inside light Energy class: A	anti touch brushed  7122 040
capacity	59 Litres		
equipment	2 baking pans with EasyClean enamelling 1 stainless steel rack	accessories Refractory plate Pyrex glass baking dish Telescopic runners* Self cleaning panels set*: lateral (2 pcs.) lateral-posterior (3 pcs.)	8801 000 8802 000 8807 107 8800 015 8800 013
technical data	 max absorbed power: 2.280 W electrical consumption: - by natural convection: 0.94 kWh - by forced convection: 0.79 kWh Max temperature: 250°C		 packing: 66 x 66 x 66 cm - 38.5 Kg

*telescopic runners cannot be installed together with self cleaning panels set

KS - 46

		finishing	code
Features	    	multifunctional oven 60x46 cm 5 operating programmes Full Glass inside door StopSol glass EasyClean enamel Analogue programming end of cooking Push-in selection knob Cooling system with tangential ventilation Removable protection for grill heating element Independent inside light Energy class: A	anti touch brushed  7123 040
capacity	42 Litres		
equipment	1 baking pans with EasyClean enamelling 1 stainless steel rack	accessories Refractory plate Pyrex glass baking dish	8801 000 8802 000
technical data	 max absorbed power: 2.060 W electrical consumption: - by natural convection: 0.89 kWh - by forced convection: 0.79 kWh Max temperature: 250°C		 packing: 66 x 66 x 58 cm - 36.5 Kg

KS - 60 P



Features



Functions



Features

multif. pyrolytic oven 60x60 cm


10 operating programmes
Self-cleaning by pyrolysis
Full Glass inside door
StopSol glass
EasyClean enamel
Warning when set temperature
has been reached
Safety lock
Electronic start and end
of cooking timer
Cooling system with tangential
ventilation
Fast preheating
Triple glass door
Independent inside light
Energy class: A

capacity 59 Litres

equipment 2 baking pans with EasyClean enamelling
1 stainless steel rack

Technical data

max absorbed power: 3.200 W
electrical consumption:
- by natural convection: 0,95 kWh
- by forced convection: 0,79 kWh
Max temperature: 250°C / 475°C



packing:
66 x 66 x 66 cm - 41 Kg

accessories



Refractory plate

Plate made of refractory material with a high heating power for natural cooking. Ideal for pizzas and muffins.



Tray Pyrex
code 8802 000

The purity and elegance of Pyrex glass for optimised cooking, from the oven straight to the table.

>> COMPACT series



Compact 1810

	finishing	code
	<p>multifunctional oven 60x36 cm 4 operating programmes Electronic start and end of cooking timer digital display Tangential ventilation Triple glass door Energy class: A</p>	<p>Foster satin</p> <p>7172 042</p>

Features




Functions



capacity 35 Litres

dimension 360x600x540 mm

equipment 1 grid
1 enamelled drip tray



Compact plate warmer module

	finishing	code
	<p>60x24 module plate warmer - food heater Extractable trolley with push-pull opening Interior in stainless steel Max temperature: 85°C</p>	<p>Foster satin</p> <p>7178 000</p>

capacity Max 25 Kg

dimension 595x235x525 mm



	<p>Combinations The Compact plate warmer-food heater is a versatile accessory for warming the crockery to an agreeable temperature, heating food and keeping it warm, thawing and proving dough. In combination with the Compact 1810 and Folk ovens, the overall dimensions are the same as those of a traditional oven, i.e. 60x60 cm. The pleasantly harmonious effect achieved with the 1810 oven is also perfect (page 157).</p>		
---	--	--	---

Compact Folk



Features

multifunctional oven 60x36 cm

4 operating programmes
Electronic start and end
of cooking timer
digital display
Tangential ventilation
Triple glass door

Energy class: A

finishing


code

Foster
satin

7171 042

capacity 35 Litres

equipment 1 grid
1 enamelled drip tray



Features



Functions



technical data

max absorbed power: 1.800 W
electrical consumption:
- by forced convection: 0.69 kWh
Max temperature: 250°C



packing:
65 x 64 x 41 cm - 26.8 Kg

Compact



Features

multifunctional oven 60x36 cm

4 operating programmes
Electronic start and end
of cooking timer
digital display
Tangential ventilation
Triple glass door

finishing


code

Foster
satin

7170 042

capacity 35 Litres

equipment 1 grid
1 enamelled drip tray



Features



Functions



technical data

Energy class: B
max absorbed power: 1.800 W
electrical consumption:
- by forced convection: 0.72 kWh
Max temperature: 250°C



packing:
64 x 64 x 41 cm - 26.8 Kg

>> COMPACT microwave


Compact micro+grill



		finishing	code
Features	microwave oven+grill 60x36 cm 9 microwave power settings: from 80 to 900 Watts Grill with 3 power levels Electronic programming Automatic baking and thawing programs Timer programming (by time and weight) Touch Control Safety lock Revolving plate that can be deactivated Inside light	Foster satin	7173 020

dimension 360x600x507 mm

equipment Revolving plate
Crunch plate
Double grill



Microwave oven cooking systems



Microwave cooking

Ideal for cooking or heating vegetables, rice, fish, meat and liquids in a rapid way. 6 different power settings can be obtained.



Automatic thawing

Thaws frozen food after the type of food and its weight have been selected.



Grill

Quickly browns the surface of the food. The supplied Crunch plate also makes the underside of the food crispy.



Preset programmes

Programmes for warming up, cooking, thawing + cooking lots of different foods can be selected.



Micro-grill cooking

Combined cooking method that's perfect for lasagne, roasts, roast potatoes and soufflés.



Nadir



Features



Functions



Features

multifunctional oven 60x60 cm

10 operating programmes
Electronic start and end
of cooking timer through a digital display
Digital programming of temperature
Tangential ventilation
Triple glass door
Grids with telescopic runners
Easy-Clean enamelling
Independent inside light

Energy class: A

finishing

Foster
satin

code

7110 043

accessories

Refractory plate
Pyrex glass baking dish

8801 000


8802 000

capacity

59 Litres

equipment

1 grid inox
2 enamelled drip trays.



technical data

max absorbed power: 2.380 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C



packing:

66 x 66 x 66 cm - 41.8 Kg

>> 60x60 ovens

1810



Features



Functions



Features

multifunctional oven 60x60 cm

9 operating programmes
Electronic start and end of cooking timer con digital display
Tangential ventilation
Triple glass door
Easy-Clean enamelling
Independent inside light
Energy class: A


anti touch
brushed

code

7118 043

capacity 59 Litres

equipment 2 grids
1 enamelled drip tray



packing:
66 x 66 x 66 cm - 40.5 Kg

technical data

max absorbed power: 2.380 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C

*telescopic runners cannot be installed together with self cleaning panels set

Mf



Features



Functions



Features

multifunctional oven 60x60 cm

9 operating programmes
Mechanical start and end of cooking timer
Tangential ventilation
Triple glass door
Independent inside light
Energy class: A


finishing
Foster
satin

code

7100 043

capacity 59 Litres

equipment 2 grids
1 enamelled drip tray



packing:
66 x 66 x 66 cm - 41.5 Kg

technical data

max absorbed power: 2.380 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C

*telescopic runners cannot be installed together with self cleaning panels set

ovens

>> 60x60 ovens

Faust



Features



Functions



Features

multifunctional oven 60x60 cm


9 operating programmes
Electronic start and end of cooking timer con digital display
Tangential ventilation
Triple glass door
Easy-Clean enamelling
Independent inside light
Energy class: A

Foster
satin

code
7107 043

capacity 59 Litres

equipment 2 grids
1 enamelled drip tray



technical data

max absorbed power: 2.380 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C

*telescopic runners cannot be installed together with self cleaning panels set

Andromeda



Features



Functions



Features

multifunctional oven 60x60 cm


5 operating programmes
Programming end of cooking
Tangential ventilation
Easy-Clean enamelling
Energy class: A

Foster
satin

code
7115 040

capacity 59 Litres

equipment 1 oven grid
2 enamelled drip trays



technical data

Energy class: A
max absorbed power: 2.280 W
electrical consumption:
- by natural convection: 0.94 kWh
- by forced convection: 0.79 kWh
Max temperature: 250°C

*telescopic runners cannot be installed together with self cleaning panels set



Faust 90



Features	Features	finishing	code
multifunctional oven 90x48 cm 9 operating programmes Electronic start and end of cooking timer through digital display Tangential ventilation Triple glass door Independent inside light Energy class: A	Foster satin	7167 042	
capacity	73 Litres		
equipment	1 grid 1 enamelled drip tray 1 roasting-jack		
technical data	max absorbed power: 2.500 W electrical consumption: - by natural convection: 1.39 kWh - by forced convection: 1.5 kWh Max temperature: 250°C	accessories Self cleaning lateral panel set (2 pcs.)	8800 012
Features			
A EASY Clean triple glass			
Functions			
			packing: 94 x 64 x 56 cm - 54 Kg



THE SPECIALS

Functional Centres

Cucinotta 163

Lavelotto 164

Stovigliotta 164

Stainless Steel Worktops

Quadra 166


Magic 169



>> Functional Centres

Cucinotta

		code
	Professional kitchen in 18/10 stainless steel with Foster satin finish	Cucinotta 7159 042
dimensions	width: 1000 mm depth: 650 mm worktop height: 890-915 mm total height: 910-935 mm adjustable feet	accessories Stainless steel panel 3507 155 Cucinotta Hood 2430 110
technical data	Gas cooker hob: 5 burners with central triple crown burner. Grids and plate in enamelled cast iron. Front knobs, safety valves, electronic under knob ignition. Burner power: auxiliary 1.000 W semi-rapid 1.750 W (x2) rapid 2.700 W triple crown 3.500 W Electric oven: mod. Faust 90 - code 7167 040 specifications, see page 159	
accessories	Stainless steel wall panel with bar for kitchen utensils 100 cm stainless steel hood	






» Functional Centres

Lavelotto

dimensions	finishing	code
	Foster satin	7158 000
	Free-standing washing centre in 18/10 stainless steel with Foster satin finish	
technical data	<p>width: 1000 mm depth: 650 mm worktop height: 890-915 mm total height: 910-935 mm adjustable feet</p> <p>Sink with 2 bowls: Sliding Rails model, see page 12 for the specifications.</p> <p>With 2 removable baskets and double garbage disposal unit for selective waste collection.</p>	

Stovigliotta

finishing	code
Foster satin	7160 000
Free-standing dishwasher in 18/10 stainless steel with Foster satin finish	
dimensions	width: 700 mm depth: 650 mm worktop height: 890-915 mm total height: 910-935 mm adjustable feet
technical data	code dishwasher 2910 000 see page 81 for the specifications
	

STAINLESS STEEL WORKTOPS

The worktops examples depicted on the following pages illustrate our proposals with already defined dimensions, that can be ordered according to the reference. Consult **The Specials** Foster catalogue, which illustrates the vast range of customized solutions available.



>> Quadra 2400 worktops


finishing | code

Foster satin  3244 011 r/h
3244 012 l/h





Stainless steel top with Foster satin finish.
Quadra cooker hob with 4 burners in line - Quadra sink 400x400 mm
Dimensions: 2400x650 mm - thickness: 40 mm - raised rear border: 20 mm.

accessories: **L3** **R** **T** **T1** **T2** **Z**




Stainless steel top with Foster satin finish.
Quadra cooker hob with 4 burners in line - Quadra sink 800x400 mm
Dimensions: 2400x650 mm - thickness: 40 mm - raised rear border: 20 mm.

accessories: **L3** **S** **T** **T1** **T2** **Z**




Stainless steel top with Foster satin finish.
Quadra cooker hob with 4 burners in line - Quadra sink with two bowls 400x400 mm
Dimensions: 2400x650 mm - thickness: 40 mm - raised rear border: 20 mm.

accessories: **L3** **R** **T** **T1** **T2** **Z**



8644 004
Twin cutting board
41x41



8611 000
Steel basket 34x40
8611 100
White 34x40




8612 000
Steel basket 40x40
8612 100
White 40x40



8100 154
Dishes holder
25x35
*To use only
with L3 cutting board*



8100 201
Dishes holder
25x44




8100 202
Dishes holder
40x43



8154 000
St. steel colander 25x36
*To use only
with L3 cutting board*

Right hand (r/h) means that the worktop has the sink on the right side. The same for Left hand (l/h) models.



>> Quadra 2100 worktops



Stainless steel top with Foster satin finish.
Quadra cooker hob with 3 burners in line - Quadra sink 400x400 mm
Dimensions: 2100x650 mm - thickness: 40 mm - raised rear border: 20 mm.

accessories: [L3](#) [R](#) [T](#) [T1](#) [T2](#) [Z](#)



finishing	code
Foster satin	3213 111 r/h
	3213 112 l/h



Stainless steel top with Foster satin finish.
Quadra cooker hob with 3 burners in line - Quadra sink 800x400 mm
Dimensions: 2100x650 mm - thickness: 40 mm - raised rear border: 20 mm.

accessories: [L3](#) [S](#) [T](#) [T1](#) [T2](#) [Z](#)


finishing	code
Foster satin	3213 011 r/h
	3213 012 l/h



Stainless steel top with Foster satin finish.
Quadra cooker hob with 4 burners in line - Quadra sink 340x400 mm
Dimensions: 2100x650 mm - thickness: 40 mm - raised rear border: 20 mm.

accessories: [T1](#)


finishing	code
Foster satin	3214 111 r/h
	3214 112 l/h



Stainless steel top with Foster satin finish.
With predisposition for Vitroline induction hob (7330 200) - Quadra sink 400x400 mm
Dimensions: 2100x650 mm - thickness: 40 mm - raised rear border: 20 mm.


accessories: [L3](#) [R](#) [T](#) [T1](#) [T2](#) [Z](#)

finishing	code
Foster satin	3219 111 r/h
	3219 112 l/h
induction cooker hob	7330 200



Right hand (r/h) means that the worktop has the sink on the right side. The same for Left hand (l/h) models.



>> Quadra 1800 worktops



Stainless steel top with Foster satin finish.
 Quadra cooker hob with 3 burners in line - Quadra sink 340x400 mm
Dimensions: 1800x650 mm - **thickness:** 40 mm - **raised rear border:** 20 mm.

accessories: **T1**


finishing	code
Foster satin	3183 111 r/h 3183 112 l/h



Stainless steel top with Foster satin finish.
 Quadra cooker hob with 3 burners in line - Quadra sink 400x400 mm
Dimensions: 1800x650 mm - **thickness:** 40 mm - **raised rear border:** 20 mm.

accessories: **L3 R T T1 T2 Z**

finishing	code
Foster satin	3183 011 r/h 3183 012 l/h




Stainless steel top with Foster satin finish.
 With predisposition for Vitroline induction hob (7330 200) - Quadra sink 400x400 mm
Dimensions: 1800x650 mm - **thickness:** 40 mm - **raised rear border:** 20 mm.

accessories: **L3 R T T1 T2 Z**

finishing	code
Foster satin	3189 111 r/h 3189 112 l/h

induction cooker hob

7330 200



8644 004
Twin cutting board
41x41



8611 000
Steel basket 34x40
8611 100
White 34x40



8612 000
Steel basket 40x40
8612 100
White 40x40



8100 154
Dishes holder
25x35
*To use only
with L3 cutting board*



8100 201
Dishes holder
25x44



8100 202
Dishes holder
40x43



8154 000
St. steel colander 25x36
*To use only
with L3 cutting board*

Right hand (r/h) means that the worktop has the sink on the right side. The same for Left hand (l/h) models.


finishing | code

Foster satin  3560 041 r/h
3560 042 l/h



Stainless steel top with Foster satin finish.
Magic cooker hob with 4 burners - Sink with 2 bowls (400x450 - 400x275)
Dimensions: 2400x600 mm - thickness: 60 mm - raised rear border: 40 mm.

accessories: **C E S B**




finishing | code

Foster satin  3559 041 r/h
3559 042 l/h



Stainless steel top with Foster satin finish.
Magic cooker hob with 4 burners - Sink with 2 bowls (400x450 - 400x275)
Dimensions: 2100x600 mm - thickness: 60 mm - raised rear border: 40 mm.

accessories: **C E S B**




finishing | code

Foster satin  3558 041 r/h
3558 042 l/h



Stainless steel top with Foster satin finish.
Magic cooker hob with 4 burners - Sink with 2 bowls (400x450 - 400x275)
Dimensions: 1800x600 mm - thickness: 60 mm - raised rear border: 40 mm.

accessories: **C E S B**




C
8653 000
Cutting board 29x40



E
8655 000
Cutting board 45x40



S
8612 000
Steel basket 40x40
8612 100
White 40x40



B
8100 280
Dishes holder
28x40

Right hand (r/h) means that the worktop has the sink on the right side. The same for Left hand (l/h) models.



Alessi by **Foster**
collection

design: Alessandro Mendini



Stainless steel sinks 172

Ekotek sinks 175

Gas cooker hobs 176




Glass ceramic cooker hobs 180




Hood 183

» Stainless steel **sinks**




>> Stainless steel sinks

	inset	finishing	size	code	
	standard	Foster satin	dimensions: 970x500 cut-out: 950x480	1462 060	
	flat-edge	Foster satin	dimensions: 983x513 cut-out: 960x480	1468 060	
	flush mount	Foster satin	dimensions: 983x513 cut-out: see in the carton	1465 060	
 packing: 105 x 57 x 26 cm - 8.6 Kg					

	inset	finishing	size	code	
	standard	Foster satin	dimensions: 970x500 cut-out: 950x480	1463 061 r/h 1463 062 l/h	
	flat-edge	Foster satin	dimensions: 983x513 cut-out: 960x480	1469 061 r/h 1469 062 l/h	
	flush mount	Foster satin	dimensions: 983x513 cut-out: see in the carton	1466 061 r/h 1466 062 l/h	
 packing: 105 x 57 x 26 cm - 7.3 Kg					

*minimum cabined 80 cm if installed at the beginning of the composition

	inset	finishing	size	code	
	standard	Foster satin	dimensions: 860x500 cut-out: 840x480	1452 060	
 packing: 90 x 51 x 22 cm - 7 Kg					

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Stainless steel sinks

inset	finishing	size	code
standard	Foster satin	dimensions: 590x500 cut-out: 570x480	1461 061 r/h 1461 062 l/h
flat-edge	Foster satin	dimensions: 603x513 cut-out: 580x480	1467 061 r/h 1467 062 l/h
flush mount	Foster satin	dimensions: 603x513 cut-out: see in the carton	1464 061 r/h 1464 062 l/h
cabinet 60 cm waste-fitting accessories			
packing: 61 x 53 x 20 cm - 5,3 Kg			
packing: 90 x 51 x 22 cm - 6,1 Kg			
inset	finishing	size	code
standard	Foster satin	dimensions: 860x500 cut-out: 840x480	1451 061 r/h 1451 062 l/h
cabinet 60 cm waste-fitting accessories			
packing: 90 x 51 x 22 cm - 6,1 Kg			
under-mount	Foster satin	dimensions: 830x504 cut-out: see in the carton	1472 860
cabinet 90 cm waste-fitting accessories			
packing: 90 x 51 x 22 cm - 6,6 Kg			
under-mount	Foster satin	dimensions: 620x504 cut-out: see in the carton	1310 861 r/h 1310 862 l/h
cabinet 60 cm waste-fitting accessories			
packing: 61 x 53 x 20 cm - 5,1 Kg			

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.

Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.









	inset	finishing	size	code	
	standard		dimensions: 970x500 cut-out: 950x480	4463 141 r/h 4463 142 l/h	
	standard		dimensions: 970x500 cut-out: 950x480	4463 191 r/h 4463 192 l/h	
cabinet waste-fitting accessories	80 cm 3½"		packing: 108 x 61 x 30 cm - 27.5 Kg		
	8154 040 Stainless steel colander		8644 040 Padouk wood Twin cutting board		8100 040 Stainless steel dishes holder
				suggested faucets	
					Ellis (8463 000 - page 67)
					Kelvin (8470 000 - page 60)

Standard fittings: fixing brackets, basket, waste fitting, overflow and siphon. Packing: single carton box.
Right hand (r/h) means that the sink has the bowl (or bigger bowl) on the right side. The same for left hand models. The single code means that the model is reversible or available in the hand presented in the picture.

>> Cooker hobs




>> Cooker hobs

inset	finishing	size	code	
standard	Foster satin	dimensions: 860x500 cut-out: 840x480	7260 037	
	Foster satin	dimensions: 873x513 cut-out: 840x480	7262 037	
	Foster satin	dimensions: 873x513 cut-out: see in the carton	7261 037	
flat-edge	Foster satin	dimensions: 860x500 cut-out: 840x480	7260 039	
	Foster satin	dimensions: 873x513 cut-out: 840x480	7262 039	
	Foster satin	dimensions: 873x513 cut-out: see in the carton	7261 039	
flush mount	Foster satin	dimensions: 860x500 cut-out: 840x480	7260 032	
	Foster satin	dimensions: 873x513 cut-out: 840x480	7262 032	
	Foster satin	dimensions: 873x513 cut-out: see in the carton	7261 032	
features		 professional cast iron grids  Gas taps with safety valves with super-fast thermocouples  electronic under-knob ignition		
		 Burners' power: auxiliary 1.100 W - semi-rapid 1.750 W (x2) rapid 3.000 W - triple crown 3.500 W		
		 packing: 94 x 59 x 19 cm - 20 Kg		

» Cooker hobs



inset	finishing	size	code
flat-edge	Foster satin	dimensions: 1179x368 cut-out: 1162x351	7275 032
flush mount	Foster satin	dimensions: 1179x368 cut-out: see in the carton	7274 032



features

 cast iron grids/ enamelled burner covers

 Gas taps with safety valves
with super-fast thermocouples

 electronic under-knob ignition

 Burners' power:
auxiliary 1.100 W - semi-rapid 1.750 W - rapid 3.000 W (x2)

accessories

Cod. 8209 032
Stainless steel grids set




 packing:
125 x 48 x 18 cm - 21,4 Kg

>> Cooker hobs



inset	finishing	size	code
flat-edge	Foster satin	dimensions: 944x497 cut-out: see in the carton	7264 032
flush mount	Foster satin	dimensions: 944x497 cut-out: see in the carton	7263 032



features



cast iron grids/ enamelled burner covers



Gas taps with safety valves
with super-fast thermocouples



electronic under-knob ignition



Burners' power:
auxiliary 1.100 W - semi-rapid 1.750 W - rapid 3.000 W - triple crown 3.500 W

>> Ceramic glass **cooker hobs**



inset	size	code
Non-chamfered edge for FLUSH-MOUNT installation	dimensions: 790x500 cut-out: 763x473	7461 000
Chamfered edge for OVER-TOP installation	dimensions: 790x500 cut-out: 763x473	7464 000



features



multiple zones



electronic programming

Go&Stop device

maximum safety

high-light halogen plates
9 settings
touch control functions

Plates power:
1.200 W / 1.800 W / 1.100-2.200 W / 1.100-2.000 W



>> Ceramic glass **cooker hobs**



	inset	size	code
	Non-chamfered edge for FLUSH-MOUNT installation	dimensions: 790x500 cut-out: 763x473	7460 000
	Chamfered edge for OVER-TOP installation	dimensions: 790x500 cut-out: 763x473	7463 000




features


- multiple zones
- electronic programming
- Go&Stop device
- maximum safety

high-light halogen plates
9 settings
touch control functions

Plates power:
1.200 W / 1.800 W / 1.100-2.200 W / 1.100-2.000 W



packing:
65 x 57 x 15 cm - 12.5 Kg



► Ceramic glass **cooker hobs**



inset	size	code
Chamfered edge for OVER-TOP installation	dimensions: 900x450 cut-out: see in the carton	7411 000



features



multiple zones



electronic programming



Go&Stop device



maximum safety

high-light halogen plates
9 settings

touch control functions


Plates power:

2.300 W / 750-2.200 W / 800-1.600-2.500 W



packing:



96 x 50 x 20 cm - 14 Kg





	code
Aspiring hood for linear wall mount 90-110 cm	hood unit* 2460 000
Stainless steel and white etched crystal Optional filtering function	*sold exclusively with one of the following kits:
Capacity: 280÷800 m ³ /h	90 cm shelves 2460 090
Two anti-grease filter	110 cm shelves 2460 110
Four working speed	accessories
	Carbon filter kit (2 pcs.) 9700 292

 packing:
100 x 61 x 38 cm - 17,7 Kg



WARRANTIES

All Foster products conform to the EEC directive and are covered by the Foster 24-month warranty.

DEALERS

Our dealers are highly selected and are able to provide a professional service for our production range.
For information please consult our web site **www.fosterspa.com** or contact us: **info@fosterspa.com**.

ASSISTANCE

We wish to provide you with products and service that meet your expectations. This is why Foster has a widespread network of Technical Assistance centres in Italy and abroad.

AFTER-SALES SERVICE IN ITALY

For an up to date list of Foster's technical assistance centres, consult our web site **www.fosterspa.com** or contact the Customer Care service on **+39 0522 684300**.

EUROPE AFTER SALES SERVICES

AT – AUSTRIA Ph. 0043 (1) 61016	GB – GREAT BRITAIN Ph. 0044 (0) 845 050	PT – PORTUGAL Ph. 00351 70 72 00814
BY – BELARUS Ph. 007 (495) 745 0093	HU – HUNGARY Ph. 0036 30954874	RO – ROMANIA Ph. 0040 (0) 722555667
BE – BELGIUM Ph. 0033 (0) 327458282	IE – IRELAND (+NORTH IR.) Ph. 0044 (0) 2890 826223	RU – RUSSIA Ph. 007 (495) 745 0093
BE – BELGIO (Flanders) Ph. 0031 (0) 162472626	LI – LIECHENSTEIN Ph. 0041 (0) 916496050	SI – SLOVENIA Ph. 00386 (0) 15114716
BG – BULGARIA Ph. 00359 (2) 962 0500/6238	LU – LUXEMBOURG Ph. 0031 (0) 455690699	ES – SPAIN Ph. 0034 902 154 058
HR – CROATIA Ph. 00385 1 4929685	MT – MALTA Ph. 00356 21442334	SW – SWEDEN Ph. 0045 (0) 97 21 71 71
DK – DENMARK Ph. 0045 (0) 97 21 71 71	MD – MOLDOVA Ph. 0040 (0) 722555667	CH – SWITZERLAND Ph. 0041 (0) 91 649 6050
FR – FRANCE Ph. 0033 (0) 327 458282	NL – NETHERLANDS Ph. 0031 (0) 16 24 72 626	UA – UKRAINE Ph. 0038 (048) 745 7770987
DE – GERMANY Ph. 0049 (0) 2104 96 400	PL – POLAND Ph. 0048 (0) 509 35 36 66	

AFTER SALES SERVICES AROUND THE WORLD

IL – ISRAEL Ph. 00972 524 281445	SA – SAUDI ARABIA Ph. 00966 2 6934045	US – UNITED STATES Ph. 001 888 639 6001
MAL – MALAYSIA Ph. 0060 3 61566888	TH – THAILAND Ph. 00662 7915400	For information about Customer Care Service in other countries please call: +39 0522 687425 or visit www.fosterspa.com
NZ – NEW ZEALAND Ph. 0064 9 3603222	TN – TUNISIA Ph. 00216 71 386102	

This publication is for international use. The descriptions and data in this publication may be liable to modification without prior notice. Each article in this catalogue is manufactured in compliance with the standards in force and with the EC directives.

The Foster organization will be pleased to provide further details and updates about the products and services. The illustrations include room settings created by our customers to whom we would like to extend our heartfelt thanks.

WE RESPECT THE ONES AROUND US.

Foster has been the first company to introduce burners with superior energy efficiency, and 100% of the Foster appliances is in A-Class, because we believe in respecting the environment and our own future.



Foster s.p.a. - Via M. S. Ottone, 18/20 - 42041 Brescello (Re) Italy
Tel. +39 0522 687425 - Fax +39 0522 684518 - Fax export +39 0522 687639 - E-mail: info@fosterspa.com
www.fosterspa.com